

Overview

This document outlines the HL7 messages and the corresponding segments IEHP is evaluating for IEHP P4P 2025.

Each page outlines the requirements for a particular HL7 message type. Participants are required to meet the HL7 segment thresholds defined by IEHP. These thresholds are notec in the spreadsheet.

For 2025:

- New measures will be highlighted in yellow
- Modified measures will be highlighted in green



ADT Detailed Report

Legend						
Required						
Preferred						
Optional						
Conditional						

Required Triggers	Description				
A01	Patient Admit				
A03	Patient Discharge				
A04	Patient Registration				
A06	Outpatient to Inpatient				
A07	Inpatient to Outpatient				
A08	Information Update				
A11	Cancel Admit				
A13	Cancel Discharge				
A45	Chart Correction				
A40	Patient Merge				

P4P Measure	P4P Measure	Data	HL7 Segment	HL7 Field	IEHP P4P Required	MX DSG R/P	IEHP Threshold	ADT Event Requirements	Purpose	IEHP Criteria
	Information	ID	PID	PID-3.1	R	R	100%	ALL	EMPI Identification	
	Information	Name	PID	PID-5.1	R	R	100%	ALL	Member validation	
	Information	DOB	PID	PID-7.1	R	R	100%	ALL	Member validation	
	Information	Sex	PID	PID-8	R	R	100%	ALL	Member validation	
	Information	Address	PID	PID-11	R	R	90%	ALL	Member validation	
	Information	PatientAddress/ZipOrPostalCod e	PID	PID-11.5	R	R	1	ALL	Member validation	XXXXX and ZZZZZ values monitored for homeless Bi-directional pass with PID-11.7
ADT - Admission, Discharge, and Diagnosis	Information	Address Type	PID	PID-11.7	R	с	1	ALL	Member validation	HL value monitored for homeless Bi-directional pass with PID-11.5
information (Required)	Information	Death Date/Time	PID	PID-29.1	R	R	1	ALL	Stored used to alert providers in various applications	
	Information	Death Indicator	PID	PID-30	R	R	1	ALL	Stored used to alert providers in various applications	
	Information	Race	PID	PID-10	R	R	95%	ALL	Inform health care quality improvement efforts	Bi-directional pass with PID-22.1
	Information	Ethnicity	PID	PID-22.1	R	R	90%	ALL	Inform health care quality improvement efforts	Bi-directional pass with PID-10
Patient Visit, Allergies,	Next of Kin	NB-Relation to Patient	NK1*	NB-within90- Admit Field used for calculation PID-7.1 (DOB) PV-1-2 (Patient Class) NK1-3.1 (Next of Kin relationship)	R	n/a	80%	A01, A04, A06	Ability to separate services to different IEHP departments and provide appropriate information	The focus of this measure will be on newborns and NICU patients with age is 90 days or less. A Next of kin is required as part of the admission where next of kin is one of the following: Foster Parent, Father, Guardian, Mother, Parent where the field needs to have the Mother or Guardian's information identified in NK1-2 and the relationship as 'Mother' or 'Guardian' in NK1-3.1. The calculation for this measure will be as follows: DOB (PID-7.1) is 90 days or less of admit date Patient Class (PV1-2) is inpatient or B for Obstetrics Message Type is A01, A04, A06 NK1-3.1 is either "FSTPRNT",FTH","GRD",Guardian", "MTH","P" or "PAR
Diagnosis and Procedures	Patient Visit	Patient Class	PV1	PV1-2	R	R	100%	ALL	Inpatient/Outpatient Identification	
	Patient Visit	Physician NPI	PV1	PV1-7 or PV1-8 or PV1-9 or PV1-17	R	R	90%	ALL	Physician/clinician identification	
	Patient Visit	Visit ID	PV1	PV1-19	R	R	100%	ALL	Links content together with admission	
	Admission	Admit Date/Time	PV1	PV1-44	R	R	100%	A01/A04/A06	Identify admissions	Calculations based on admit message types(A01/A04/A06) for Inpatient and Emergency (PV1.2)
	Discharge	Discharge Date/Time	PV1	PV1-45	R	R	90%	A03	Identify discharges	Calculations based on discharge message types (A03) for Inpatient and Emergency (PV1.2)
	Admission	Hospital Service	PV1	PV1-10	R	Ρ	90%	A01/A04/A06	Ability to separate services to different IEHP departments	Calculations based on triggers (A01/A04/A06) for Inpatient and Emergency (PV1.2). Bi-directional pass with PV1-18



ADT Detailed Report (cont.)

	P4P Measure	Data	HL7 Segment	HL7 Field	IEHP P4P Required	MX DSG R/P	IEHP Threshold	ADT Event Requirements	Purpose	IEHP Criteria
	Admission	ВЕН	PV1	PV1-10-BEH	R	P	1	A01/A04/A06	Ability to separate services to different IEHP departments	The intent of this measure is to monitor that participants are sending BEH Hospital Service. (W/A for the facility is acceptable). Calculations based on triggers (A01/A04/A06) for Inpatient and Emergency (PV1.2). Bi-directional pass with PV1-18
	Admission	NWB	PV1	PV1-10-NWB	R	Ρ	1	A01/A04/A06	Ability to separate services to different IEHP departments	The intent of this measure is to monitor that participants are sending NWB Hospital Service. (N/A for the facility is acceptable). Calculations based on triggers (A01/A04/A06) for Inpatient and Emergency (PV1.2). Bi-directional pass with PV1-18
	Admission	NICU	PV1	PV1-10-NICU	R	Ρ	1	A01/A04/A06	Ability to separate services to different IEHP departments	The intent of this measure is to monitor that participants are sending NICU Hospital Service. (W/A for the facility is acceptable). Calculations based on triggers (A01/A04/A06) for Inpatient and Emergency (PV1.2). Bi-directional pass with PV1-18
	Admission	OBS	PV1	PV1-10-OBS	R	р	1	A01/A04/A06	Ability to separate services to different IEHP departments	The intent of this measure is to monitor that participants are sending OBS Hospital Service. (N/A for the facility is acceptable). Calculations based on triggers (A01/A04/A06) for Inpatient and Emergency (PV1.2). Bi-directional pass with PV1-18
	Admission	Patient Type	PV1	PV1-18	R	n/a	90%	A01/A04/A06	Ability to separate services to different IEHP departments	Must contain indicators for Behavioral Health, Newborn, NICU and Observation. Crosswalk is required. Bi-directional pass with PV1-10
	Discharge	Discharge Disposition	PV1	PV1-36	R	Р	5%	A03	Services/TOC identification	Calculations based on discharge message types for (A03) for Inpatient and Emergency (PV1.2)
Patient Visit, Allergies, Diagnosis and Procedures	Discharge	Discharged to Location		PV1-37.1 with PV1-36 outside of discharge to home	R	R	5%	A03	Services/TOC identification	Calculations based on discharge message types for (A03) for Inpatient and Emergency (PV1.2) The PV1-37.1 messages segment count is based on: if the ADT message has PV1-36 with codes outside of discharge to home and if PV1-37-1 values exist. (Please see MX Data Submission Guidelines on codes for PV1-36) If the participant does not adhere to the MX Data Submission Guidelines, a cross walk table must be provided. For 2025, Q1/Q2, participants can send data via documentation (ORU/MDM). If this option is selected, hospitals are required to submit 5 validated documentation examples by the last calendar day of each quarter. Starting in Q3, participants will be required to document discharge to location in a distinct field the medical record so it can be pulled by hospital technical teams and sent via HL7.
	Admission	Admit Reason	PV2	PV2-3	R	Ρ	95%	A01/A04/A06	Care coordination and authorization details	Calculations based on admissions message types (A01,A04,A06) for inpatient and emergency. Bi-directional pass with DG1-3.1
	Diagnoses	Diagnosis Code	DG1	DG1-3.1	R	R	60%	ALL	Care Coordination/HEDIS Collection/NCQA Audits	Calculations based on any ADT with discharge date for Inpatient and Emergency (PV1.2). Bi-directional pass with PV2-3
	Diagnoses	Diagnostic Related Group	DG1	DG1-8.1	R	n/a	5%	A08	Care Coordination/HEDIS Collection/NCQA Audits	The focus of this measure will be on ADT A08s for inpatient where message date is 5 days greater than discharge date. Monitoring only for Q1 and Q2 2025. Initial threshold will be 5%. The threshold will be re-evaluated in Q3 2025
	Diagnoses	Diagnosis Priority	DG1	DG1-15	R	n/a	5%	A08	Care Coordination/HEDIS Collection/NCQA Audits	The focus of this measure will be on ADT A08s for inpatient where message date is 5 days greater than discharge date. Monitoring only for Q1 and Q2 2025. Initial threshold will be 5%. The threshold will be re-evaluated in Q3 2025
Insurance	Insurance	Insurance Company Name	IN1*	IN1-4.1	R	R	70%	A01/A04/A06/A08	COB Identification	Calculations based on triggers Admission and A08 Triggers for Inpatient and Emergency (PV1.2)
Information	Insurance	Policy Number	IN1	IN1-36	R	Р	70%	A01/A04/A06/A08	COB Identification	Calculations based on triggers Admission and A08 Triggers for Inpatient and Emergency (PV1.2)



ORU Detailed Report

Legend

Lebend						
R	Required					
Р	Preferred					
0	Optional					
С	Conditional					

RESULTS

P4P Measure	P4P Measure	Data	HL7 Segment	HL7 Field	IEHP P4P	MX DSG -	IEHP Threshold	IEHP Purpose	IEHP Criteria
					Required	R/P			
ADT - Admission, Discharge, and	Information	ID	PID	PID-3.1	R	R	100%	Member Validation	
Diagnosis	Information	Name	PID	PID-5.1	R	R	100%	Member Validation	
information (Required)	Information	DOB	PID	PID-7.1	R	Р	100%	Member Validation	
Debie wh Minik	Patient Visit	Patient Class	PV1	PV1-2	R	Р	95%	Link data to admission	
Patient Visit	Patient Visit	Patient Visit ID	PV1	PV1-19	R	Р	95%	Link data to admission	
	Orders	Order Placer Code	OBR	OBR-3.1	R	С	100%	HEDIS/NCQA Audits	
	Orders	Order LOINC Code	OBR	OBR-4.1	R	R	100%	HEDIS/NCQA Audits	Bi-directional pass with OBR-4.2
	Orders	Order Description	OBR	OBR-4-2	R	Р	100%	HEDIS/NCQA Audits	Bi-directional pass with OBR-4.1
	Orders	Order Date/Time	OBR	OBR-7.1	R	R	100%	HEDIS/NCQA Audits	
	Orders	Result Date/Time	OBR	OBR-22.1	R	R	100%	HEDIS/NCQA Audits	
	Orders	Result Type	OBR	OBR-24	R	R	100%	HEDIS/NCQA Audits	
	Orders	Result Status	OBR	OBR-25	R	R	100%	HEDIS/NCQA Audits	
	Lab Results	Result Value Type	OBX	OBX-2	R	R	90%	HEDIS/NCQA Audits	
	Lab Results	Result LOINC Code	OBX	OBX-3.1	R	R	80%	HEDIS/NCQA Audits	Calculations are based on participants sending lab LOINC codes.
HL7 ORU Data	Lab Results	Result Value	OBX	OBX-5	R	Р	90%	HEDIS/NCQA Audits	
Feed (Lab Results)	Lab Results	Result Status	OBX	OBX-11	R	R	90%	HEDIS/NCQA Audits	
Result Level	Lab Results	Units	OBX	OBX-6	R	Р	50%	HEDIS/NCQA Audits	Will review OBX 6.1 and 6.2 to meet the measure
Information	Lab Results	Reference Range	OBX	OBX-7	R	Р	70%	HEDIS/NCQA Audits	
	Lab Results	Abnormal Flag	OBX	OBX-8	R	Р	20%	HEDIS/NCQA Audits	
	Lab Results	Result Date/Time	OBX	OBX-14.1	R	Р	90%	HEDIS/NCQA Audits	If OBX-14.2 is a fail, this will be set as a pass if OBR-22 meets threshold

DOCUMENTS: OBR4.1 (LOINC) or OB4.2 (Description) for calculations

		coeffpetony for ealeulation	-						
	Lab Documents	Lab Document	OBR	OBR 4-1	R	R	1	Care Coordination	LOINC must contain 1 document for the category for the reporting period
	Lab Documents	Lab Description	OBR	OBR 4-2	R	Р	1	Care Coordination	Description must contain 1 document for the category for the reporting period
	Radiology Documents	Radiology Document	OBR	OBR 4-1	R	R	1	Care Coordination	LOINC must contain 1 document for the category for the reporting period
	Radiology Documents	Radiology Description	OBR	OBR 4-2	R	Р	1	Care Coordination	Description must contain 1 document for the category for the reporting period
	Pathology Documents	Pathology Document	OBR	OBR 4-1	R	R	1	Care Coordination	LOINC must contain 1 document for the category for the reporting period
	Pathology Documents	Pathology Document	OBR	OBR 4-2	R	Р	1	Care Coordination	Description must contain 1 document for the category for the reporting period
	Consult Reports	Consult Document	OBR	OBR 4-1	R	R	1	Care Coordination	LOINC must contain 1 document for the category for the reporting period
	Consult Reports	Consult Document	OBR	OBR 4-2	R	Р	1	Care Coordination	Description must contain 1 document for the category for the reporting period
	Discharge Summary	Discharge Summary	OBR	OBR 4-1	R	R	1	Care Coordination	LOINC must contain 1 document for the category for the reporting period
HL7 ORU Data	Discharge Summary	Discharge Summary	OBR	OBR 4-2	R	Р	1	Care Coordination	Description must contain 1 document for the category for the reporting period
Feed (Documents) - OBR-24	Procedure Notes	Procedure Notes/Surgical Notes	OBR	OBR 4-1	R	R	1	Care Coordination	LOINC must contain 1 document for the category for the reporting period IEHP consolidated Procedure and Surgical Notes as 1 measure.
	Procedure Notes	Procedure Notes/Surgical Notes	OBR	OBR 4-2	R	Р	1	Care Coordination	Description must contain 1 document for the category for the reporting period
	Progress Notes	Progress Notes	OBR	OBR 4-1	R	R	1	Care Coordination	LOINC must contain 1 document for the category for the reporting period
	Progress Notes	Progress Notes	OBR	OBR 4-2	R	Р	1	Care Coordination	Description must contain 1 document for the category for the reporting period
	History & Physical	History & Physical	OBX	OBR 4-1	R	R	1	Care Coordination	LOINC must contain 1 document for the category for the reporting period
	History & Physical	History & Physical	OBX	OBR 4-2	R	Р	1	Care Coordination	Description must contain 1 document for the category for the reporting period



RDE Detailed Report

Legend

R	Required
Р	Preferred
0	Optional
С	Conditional

P4P Measure	P4P Measure	Data	HL7 Segment	HL7 Field	IEHP P4P Required	MX DSG - R/P	IEHP Threshold	Triggers	IEHP Purpose	IEHP Criteria
ADT -	Information	ID	PID	PID-3.1	R	R	100%	ALL	Member validation	
Demographic	Information	Name	PID	PID-5.1	R	R	100%	ALL	Member validation	
information	Information	DOB	PID	PID-7.1	R	R	100%	ALL	Member validation	
	Orders	Order Control	ORC	ORC-1	R	R	100%	ALL	HEDIS/NCQA Audits	
Order Information	Orders	Order Number	ORC	ORC-3	R	R	100%	ALL	HEDIS/NCQA Audits	
	Orders	Order Start Date/Time	ORC	ORC-7.4	R	R	100%	ALL	HEDIS/NCQA Audits	
	Orders	Ordering Provider NPI	ORC	ORC-12	R	R	100%	ALL	HEDIS/NCQA Audits	
	Medication Information	NDC or RxNorm Code	RXE	RXE-2.1	R	R	95%	ALL	HEDIS/NCQA Audits	
	Medication Information	Give Dosage Form	RXE	RXE-6	R	R	80%	ALL	HEDIS/NCQA Audits	Bi-directional pass with RXE-21.2
Medication	Medication Information	Give Amount	RXE	RXE-3	R	Р	80%	ALL	HEDIS/NCQA Audits	Bi-directional pass with RXE-21.2
Information	Medication Information	Give Units	RXE	RXE-5	R	Р	80%	ALL	HEDIS/NCQA Audits	Bi-directional pass with RXE-21.2
	Medication Information	Sig	RXE	RXE-21.2	R	Р	80%	ALL	HEDIS/NCQA Audits	Bi-directional pass with all RXE-3, RXE-5, RXE-6 and RXR-1 passing
Route of Delivery	Medication Route	Route	RXR	RXR-1	R	R	80%	ALL	HEDIS/NCQA Audits	Bi-directional pass with RXE-21.2



VXU Detailed Report

Legend

R	Required
Р	Preferred
0	Optional
С	Conditional

For RXR and RXA measures: Threshold calculation = count of HL7 Field in message divided by total messages with Administration Notes/Identifier (RXA-9) "00" and Action Code (RXA-20)=CP

Administered Vaccinations will only be counted against thresholds

P4P Measure	P4P Measure	Data	HL7 Segment	HL7 Field	IEHP P4P Required	MX DSG - R/P	IEHP Threshold	IEHP Purpose	IEHP Criteria
ADT -	Information	ID	PID	PID-3.1	R	R	95%	Member validation	
Demographic	Information	Name	PID	PID-5.1	R	R	95%	Member validation	
information	Information	DOB	PID	PID-7.1	R	R	95%	Member validation	
(Required)	Information	Gender	PID	PID-8	R	R	95%	Member validation	
Insurance	Insurance	Insurance Company Name	IN1*	IN1-4.1	R	not processed	70%	Member validation	The focus of this measure will be on newborns where age is 90 days or less. Insurance information is required in the VXU when there is an administration of a vaccination.
Information	Insurance	Policy Number	IN1	IN1-36	R	not processed	70%	Member validation	The focus of this measure will be on newborns where age is 90 days or less. Insurance information is required in the VXU when there is an administration of a vaccination.
Order Information	Orders	Order Control	ORC	ORC-1	R	R	95%	HEDIS/NCQA Audits	
Order Information	Orders	Filler Order Number	ORC	ORC-3	R	R	95%	HEDIS/NCQA Audits	
	Immunizations	Date/Time Start of Administration	RXA	RXA 3-1	R	R	95%	HEDIS/NCQA Audits	
	Immunizations	Administration Code/Identifier	RXA	RXA-5.1	R	R	95%	HEDIS/NCQA Audits	
-	Immunizations	Administration Code/Text	RXA	RXA 5-2	R	0	95%	HEDIS/NCQA Audits	
	Immunizations	Administration Code/Name of Coding System	RXA	RXA 5-3	R	R	95%	HEDIS/NCQA Audits	
Immunization Details	Immunizations	Administered Amount	RXA	RXA-6	R	R	95%	HEDIS/NCQA Audits	
Details	Immunizations	Administered Notes/Identifier	RXA	RXA-9-1	R	R	95%	HEDIS/NCQA Audits	
	Immunizations	Administered Notes/Identifier	RXA	RXA-9-2	R	R	95%	HEDIS/NCQA Audits	Measure Threshold increased to 95% in 2025 to match RXA-9-1. Previously 10%.
	Immunizations	Substance Lot Number	RXA	RXA-15	R	С	80%	HEDIS/NCQA Audits	
Ī	Immunizations	Completion Status	RXA	RXA-20	R	R	95%	HEDIS/NCQA Audits	
	Immunizations	Action Code	RXA	RXA-21	R	R	80%	HEDIS/NCQA Audits	
	Immunizations	Immunization Route	RXR	RXR 1-1	R	0	90%	HEDIS/NCQA Audits	
	Immunizations	Immunization Location	RXR	RXR-2	R	0	80%	HEDIS/NCQA Audits	



If applicable-MDM Detailed Report

Legend

R	Required
Р	Preferred
0	Optional
С	Conditional

Triggers	Description				
T02	Original document and content				
T04	Document Status Change Notification and Content				
T05	Document Addendum Notification and Content				
T10	Document replacement and content				

Signed and finalized documents should only be sent

P4P Measure	P4P Measure	Data	HL7 Segment	HL7 Field	IEHP P4P Required	MX DSG - R/P	IEHP Threshold	Triggers	IEHP Purpose	IEHP Criteria
ADT -	Information	ID	PID	PID-3.1	R	R	100%	ALL	Member validation	
Demographic	Information	Name	PID	PID-5.1	R	R	100%	ALL	Member validation	
information	Information	DOB	PID	PID-7.1	R	R	100%	ALL	Member validation	
(Required)	Information	Sex	PID	PID-8	R	R	100%	ALL	Member validation	
	Patient Visit	Patient Class	PV1	PV1-2	R	R	100%	ALL	Data Flow	
Patient Visit	Patient Visit	Visit ID	PV1	PV1-19	R	R	90%	ALL	Link to admission data	
Document Information	Document	Document Type	TXA	TXA -2-1	R	R	99%	ALL	Care Coordination	
	Document	Document Content	TXA	TXA-3	R	R	99%	ALL	Care Coordination	
	Document	Activity Date/Time	TXA	TXA-4	R	0	99%	ALL	Care Coordination	Tri-directional pass with TXA-6, TXA-7
	Document	Primary Activity Provider Code/Name	TXA	TXA-5.1 5.2 or 5.3	R	Ρ	99%	All	Care Coordination	This measure is a pass if either TXA-5.1, TXA-5.2 or TXA-5.3 has a value. Bi-directional pass with TXA-9
	Document	Origination Date/Time	TXA	TXA-6	R	n/a	99%	All	Care Coordination	Tri-directional pass with TXA-4, TXA-7
	Document	Transcription Date/Time	TXA	TXA-7	R	R	99%	ALL	Care Coordination	Tri-directional pass with TXA-4, TXA-6
	Document	Originator Code/Name	TXA	TXA-9.1 9.2 or 9.3	R	0	99%	ALL	Care Coordination	This measure is a pass if either TXA-9.1, TXA-9.2 or TXA-9.3 has a value. Bi-directional pass with TXA-5
	Document	Unique Document ID	TXA	TXA 12-1	R	R	100%	ALL	Care Coordination	
	Document	Document Status	TXA	TXA 17	R	R	100%	ALL	Care Coordination	
– Document Text –	Observation	Value Type	OBX	OBX-2	R	R	100%	ALL	Care Coordination	
	Observation	Observation ID	OBX	OBX-3.1	R	R	100%	ALL	Care Coordination	
	Observation	Observation Text	OBX	OBX-3.2	R	Р	100%	ALL	Care Coordination	
	Observation	Observation Coding Syster	OBX	OBX-3-3	R	R	100%	ALL	Care Coordination	
	Observation	Value	OBX	OBX-5	R	Р	100%	ALL	Care Coordination	
	Observation	Result Status	OBX	OBX-11	R	R	90%	ALL	Care Coordination	