

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T14.91XA	[t14.91xa] Suicide Attempt, Initial Encounter
Intentional Self-Harm	ICD10CM	T14.91XD	[t14.91xd] Suicide Attempt, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T14.91XS	[t14.91xs] Suicide Attempt, Sequela
Intentional Self-Harm	ICD10CM	T36.0X2A	[t36.0x2a] Poisoning By Penicillins, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.0X2D	[t36.0x2d] Poisoning By Penicillins, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.0X2S	[t36.0x2s] Poisoning By Penicillins, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.1X2A	[t36.1x2a] Poisoning By Cephalosporins And Other Beta-lactam Antibiotics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.1X2D	[t36.1x2d] Poisoning By Cephalosporins And Other Beta-lactam Antibiotics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.1X2S	[t36.1x2s] Poisoning By Cephalosporins And Other Beta-lactam Antibiotics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.2X2A	[t36.2x2a] Poisoning By Chloramphenicol Group, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.2X2D	[t36.2x2d] Poisoning By Chloramphenicol Group, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.2X2S	[t36.2x2s] Poisoning By Chloramphenicol Group, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.3X2A	[t36.3x2a] Poisoning By Macrolides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.3X2D	[t36.3x2d] Poisoning By Macrolides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.3X2S	[t36.3x2s] Poisoning By Macrolides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.4X2A	[t36.4x2a] Poisoning By Tetracyclines, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.4X2D	[t36.4x2d] Poisoning By Tetracyclines, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.4X2S	[t36.4x2s] Poisoning By Tetracyclines, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.5X2A	[t36.5x2a] Poisoning By Aminoglycosides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.5X2D	[t36.5x2d] Poisoning By Aminoglycosides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.5X2S	[t36.5x2s] Poisoning By Aminoglycosides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.6X2A	[t36.6x2a] Poisoning By Rifampicins, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.6X2D	[t36.6x2d] Poisoning By Rifampicins, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.6X2S	[t36.6x2s] Poisoning By Rifampicins, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.7X2A	[t36.7x2a] Poisoning By Antifungal Antibiotics, Systemically Used, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.7X2D	[t36.7x2d] Poisoning By Antifungal Antibiotics, Systemically Used, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.7X2S	[t36.7x2s] Poisoning By Antifungal Antibiotics, Systemically Used, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.8X2A	[t36.8x2a] Poisoning By Other Systemic Antibiotics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T36.8X2D	[t36.8x2d] Poisoning By Other Systemic Antibiotics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.8X2S	[t36.8x2s] Poisoning By Other Systemic Antibiotics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T36.92XA	[t36.92xa] Poisoning By Unspecified Systemic Antibiotic, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T36.92XD	[t36.92xd] Poisoning By Unspecified Systemic Antibiotic, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T36.92XS	[t36.92xs] Poisoning By Unspecified Systemic Antibiotic, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T37.0X2A	[t37.0x2a] Poisoning By Sulfonamides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T37.0X2D	[t37.0x2d] Poisoning By Sulfonamides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T37.0X2S	[t37.0x2s] Poisoning By Sulfonamides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T37.1X2A	[t37.1x2a] Poisoning By Antimycobacterial Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T37.1X2D	[t37.1x2d] Poisoning By Antimycobacterial Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T37.1X2S	[t37.1x2s] Poisoning By Antimycobacterial Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T37.2X2A	[t37.2x2a] Poisoning By Antimalarials And Drugs Acting On Other Blood Protozoa, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T37.2X2D	[t37.2x2d] Poisoning By Antimalarials And Drugs Acting On Other Blood Protozoa, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T37.2X2S	[t37.2x2s] Poisoning By Antimalarials And Drugs Acting On Other Blood Protozoa, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T37.3X2A	[t37.3x2a] Poisoning By Other Antiprotozoal Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T37.3X2D	[t37.3x2d] Poisoning By Other Antiprotozoal Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T37.3X2S	[t37.3x2s] Poisoning By Other Antiprotozoal Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T37.4X2A	[t37.4x2a] Poisoning By Anthelmintics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T37.4X2D	[t37.4x2d] Poisoning By Anthelmintics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T37.4X2S	[t37.4x2s] Poisoning By Anthelmintics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T37.5X2A	[t37.5x2a] Poisoning By Antiviral Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T37.5X2D	[t37.5x2d] Poisoning By Antiviral Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T37.5X2S	[t37.5x2s] Poisoning By Antiviral Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T37.8X2A	[t37.8x2a] Poisoning By Other Specified Systemic Anti-infectives And Antiparasitics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T37.8X2D	[t37.8x2d] Poisoning By Other Specified Systemic Anti-infectives And Antiparasitics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T37.8X2S	[t37.8x2s] Poisoning By Other Specified Systemic Anti-infectives And Antiparasitics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T37.92XA	[t37.92xa] Poisoning By Unspecified Systemic Anti-infective And Antiparasitics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T37.92XD	[t37.92xd] Poisoning By Unspecified Systemic Anti-infective And Antiparasitics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T37.92XS	[t37.92xs] Poisoning By Unspecified Systemic Anti-infective And Antiparasitics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.0X2A	[t38.0x2a] Poisoning By Glucocorticoids And Synthetic Analogues, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T38.0X2D	[t38.0x2d] Poisoning By Glucocorticoids And Synthetic Analogues, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.0X2S	[t38.0x2s] Poisoning By Glucocorticoids And Synthetic Analogues, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.1X2A	[t38.1x2a] Poisoning By Thyroid Hormones And Substitutes, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.1X2D	[t38.1x2d] Poisoning By Thyroid Hormones And Substitutes, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.1X2S	[t38.1x2s] Poisoning By Thyroid Hormones And Substitutes, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.2X2A	[t38.2x2a] Poisoning By Antithyroid Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.2X2D	[t38.2x2d] Poisoning By Antithyroid Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.2X2S	[t38.2x2s] Poisoning By Antithyroid Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.3X2A	[t38.3x2a] Poisoning By Insulin And Oral Hypoglycemic [antidiabetic] Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.3X2D	[t38.3x2d] Poisoning By Insulin And Oral Hypoglycemic [antidiabetic] Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.3X2S	[t38.3x2s] Poisoning By Insulin And Oral Hypoglycemic [antidiabetic] Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.4X2A	[t38.4x2a] Poisoning By Oral Contraceptives, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.4X2D	[t38.4x2d] Poisoning By Oral Contraceptives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.4X2S	[t38.4x2s] Poisoning By Oral Contraceptives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.5X2A	[t38.5x2a] Poisoning By Other Estrogens And Progestogens, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.5X2D	[t38.5x2d] Poisoning By Other Estrogens And Progestogens, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.5X2S	[t38.5x2s] Poisoning By Other Estrogens And Progestogens, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.6X2A	[t38.6x2a] Poisoning By Antigonadotrophins, Antiestrogens, Antiandrogens, Not Elsewhere Classified, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.6X2D	[t38.6x2d] Poisoning By Antigonadotrophins, Antiestrogens, Antiandrogens, Not Elsewhere Classified, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.6X2S	[t38.6x2s] Poisoning By Antigonadotrophins, Antiestrogens, Antiandrogens, Not Elsewhere Classified, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.7X2A	[t38.7x2a] Poisoning By Androgens And Anabolic Congeners, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.7X2D	[t38.7x2d] Poisoning By Androgens And Anabolic Congeners, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.7X2S	[t38.7x2s] Poisoning By Androgens And Anabolic Congeners, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.802A	[t38.802a] Poisoning By Unspecified Hormones And Synthetic Substitutes, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.802D	[t38.802d] Poisoning By Unspecified Hormones And Synthetic Substitutes, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.802S	[t38.802s] Poisoning By Unspecified Hormones And Synthetic Substitutes, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.812A	[t38.812a] Poisoning By Anterior Pituitary [adenohypophyseal] Hormones, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T38.812D	[t38.812d] Poisoning By Anterior Pituitary [adenohypophyseal] Hormones, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.812S	[t38.812s] Poisoning By Anterior Pituitary [adenohypophyseal] Hormones, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.892A	[t38.892a] Poisoning By Other Hormones And Synthetic Substitutes, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.892D	[t38.892d] Poisoning By Other Hormones And Synthetic Substitutes, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.892S	[t38.892s] Poisoning By Other Hormones And Synthetic Substitutes, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.902A	[t38.902a] Poisoning By Unspecified Hormone Antagonists, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.902D	[t38.902d] Poisoning By Unspecified Hormone Antagonists, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.902S	[t38.902s] Poisoning By Unspecified Hormone Antagonists, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T38.992A	[t38.992a] Poisoning By Other Hormone Antagonists, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T38.992D	[t38.992d] Poisoning By Other Hormone Antagonists, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T38.992S	[t38.992s] Poisoning By Other Hormone Antagonists, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.012A	[t39.012a] Poisoning By Aspirin, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T39.012D	[t39.012d] Poisoning By Aspirin, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.012S	[t39.012s] Poisoning By Aspirin, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.092A	[t39.092a] Poisoning By Salicylates, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T39.092D	[t39.092d] Poisoning By Salicylates, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.092S	[t39.092s] Poisoning By Salicylates, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.1X2A	[t39.1x2a] Poisoning By 4-aminophenol Derivatives, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T39.1X2D	[t39.1x2d] Poisoning By 4-aminophenol Derivatives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.1X2S	[t39.1x2s] Poisoning By 4-aminophenol Derivatives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.2X2A	[t39.2x2a] Poisoning By Pyrazolone Derivatives, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T39.2X2D	[t39.2x2d] Poisoning By Pyrazolone Derivatives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.2X2S	[t39.2x2s] Poisoning By Pyrazolone Derivatives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.312A	[t39.312a] Poisoning By Propionic Acid Derivatives, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T39.312D	[t39.312d] Poisoning By Propionic Acid Derivatives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.312S	[t39.312s] Poisoning By Propionic Acid Derivatives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.392A	[t39.392a] Poisoning By Other Nonsteroidal Anti-inflammatory Drugs [nsaid], Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T39.392D	[t39.392d] Poisoning By Other Nonsteroidal Anti-inflammatory Drugs [nsaid], Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.392S	[t39.392s] Poisoning By Other Nonsteroidal Anti-inflammatory Drugs [nsaid], Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.4X2A	[t39.4x2a] Poisoning By Antirheumatics, Not Elsewhere Classified, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T39.4X2D	[t39.4x2d] Poisoning By Antirheumatics, Not Elsewhere Classified, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.4X2S	[t39.4x2s] Poisoning By Antirheumatics, Not Elsewhere Classified, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.8X2A	[t39.8x2a] Poisoning By Other Nonopioid Analgesics And Antipyretics, Not Elsewhere Classified, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T39.8X2D	[t39.8x2d] Poisoning By Other Nonopioid Analgesics And Antipyretics, Not Elsewhere Classified, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.8X2S	[t39.8x2s] Poisoning By Other Nonopioid Analgesics And Antipyretics, Not Elsewhere Classified, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T39.92XA	[t39.92xa] Poisoning By Unspecified Nonopioid Analgesic, Antipyretic And Antirheumatic, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T39.92XD	[t39.92xd] Poisoning By Unspecified Nonopioid Analgesic, Antipyretic And Antirheumatic, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T39.92XS	[t39.92xs] Poisoning By Unspecified Nonopioid Analgesic, Antipyretic And Antirheumatic, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.0X2A	[t40.0x2a] Poisoning By Opium, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.0X2D	[t40.0x2d] Poisoning By Opium, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.0X2S	[t40.0x2s] Poisoning By Opium, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.1X2A	[t40.1x2a] Poisoning By Heroin, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.1X2D	[t40.1x2d] Poisoning By Heroin, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.1X2S	[t40.1x2s] Poisoning By Heroin, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.2X2A	[t40.2x2a] Poisoning By Other Opioids, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.2X2D	[t40.2x2d] Poisoning By Other Opioids, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.2X2S	[t40.2x2s] Poisoning By Other Opioids, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.3X2A	[t40.3x2a] Poisoning By Methadone, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.3X2D	[t40.3x2d] Poisoning By Methadone, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.3X2S	[t40.3x2s] Poisoning By Methadone, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.412A	[t40.412a] Poisoning By Fentanyl Or Fentanyl Analogs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.412D	[t40.412d] Poisoning By Fentanyl Or Fentanyl Analogs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.412S	[t40.412s] Poisoning By Fentanyl Or Fentanyl Analogs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.422A	[t40.422a] Poisoning By Tramadol, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.422D	[t40.422d] Poisoning By Tramadol, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.422S	[t40.422s] Poisoning By Tramadol, Intentional Self-harm, Sequela



## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T40.492A	[t40.492a] Poisoning By Other Synthetic Narcotics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.492D	[t40.492d] Poisoning By Other Synthetic Narcotics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.492S	[t40.492s] Poisoning By Other Synthetic Narcotics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.5X2A	[t40.5x2a] Poisoning By Cocaine, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.5X2D	[t40.5x2d] Poisoning By Cocaine, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.5X2S	[t40.5x2s] Poisoning By Cocaine, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.602A	[t40.602a] Poisoning By Unspecified Narcotics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.602D	[t40.602d] Poisoning By Unspecified Narcotics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.602S	[t40.602s] Poisoning By Unspecified Narcotics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.692A	[t40.692a] Poisoning By Other Narcotics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.692D	[t40.692d] Poisoning By Other Narcotics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.692S	[t40.692s] Poisoning By Other Narcotics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.712A	[t40.712a] Poisoning By Cannabis, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.712D	[t40.712d] Poisoning By Cannabis, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.712S	[t40.712s] Poisoning By Cannabis, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.722A	[t40.722a] Poisoning By Synthetic Cannabinoids, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.722D	[t40.722d] Poisoning By Synthetic Cannabinoids, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.722S	[t40.722s] Poisoning By Synthetic Cannabinoids, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.8X2A	[t40.8x2a] Poisoning By Lysergide [lsd], Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.8X2D	[t40.8x2d] Poisoning By Lysergide [lsd], Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.8X2S	[t40.8x2s] Poisoning By Lysergide [lsd], Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.902A	[t40.902a] Poisoning By Unspecified Psychodysleptics [hallucinogens], Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.902D	[t40.902d] Poisoning By Unspecified Psychodysleptics [hallucinogens], Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.902S	[t40.902s] Poisoning By Unspecified Psychodysleptics [hallucinogens], Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T40.992A	[t40.992a] Poisoning By Other Psychodysleptics [hallucinogens], Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T40.992D	[t40.992d] Poisoning By Other Psychodysleptics [hallucinogens], Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T40.992S	[t40.992s] Poisoning By Other Psychodysleptics [hallucinogens], Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T41.0X2A	[t41.0x2a] Poisoning By Inhaled Anesthetics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T41.0X2D	[t41.0x2d] Poisoning By Inhaled Anesthetics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T41.0X2S	[t41.0x2s] Poisoning By Inhaled Anesthetics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T41.1X2A	[t41.1x2a] Poisoning By Intravenous Anesthetics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T41.1X2D	[t41.1x2d] Poisoning By Intravenous Anesthetics, Intentional Self-harm, Subsequent Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T41.1X2S	[t41.1x2s] Poisoning By Intravenous Anesthetics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T41.202A	[t41.202a] Poisoning By Unspecified General Anesthetics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T41.202D	[t41.202d] Poisoning By Unspecified General Anesthetics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T41.202S	[t41.202s] Poisoning By Unspecified General Anesthetics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T41.292A	[t41.292a] Poisoning By Other General Anesthetics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T41.292D	[t41.292d] Poisoning By Other General Anesthetics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T41.292S	[t41.292s] Poisoning By Other General Anesthetics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T41.3X2A	[t41.3x2a] Poisoning By Local Anesthetics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T41.3X2D	[t41.3x2d] Poisoning By Local Anesthetics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T41.3X2S	[t41.3x2s] Poisoning By Local Anesthetics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T41.42XA	[t41.42xa] Poisoning By Unspecified Anesthetic, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T41.42XD	[t41.42xd] Poisoning By Unspecified Anesthetic, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T41.42XS	[t41.42xs] Poisoning By Unspecified Anesthetic, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T41.5X2A	[t41.5x2a] Poisoning By Therapeutic Gases, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T41.5X2D	[t41.5x2d] Poisoning By Therapeutic Gases, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T41.5X2S	[t41.5x2s] Poisoning By Therapeutic Gases, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.0X2A	[t42.0x2a] Poisoning By Hydantoin Derivatives, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T42.0X2D	[t42.0x2d] Poisoning By Hydantoin Derivatives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.0X2S	[t42.0x2s] Poisoning By Hydantoin Derivatives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.1X2A	[t42.1x2a] Poisoning By Iminostilbenes, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T42.1X2D	[t42.1x2d] Poisoning By Iminostilbenes, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.1X2S	[t42.1x2s] Poisoning By Iminostilbenes, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.2X2A	[t42.2x2a] Poisoning By Succinimides And Oxazolidinediones, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T42.2X2D	[t42.2x2d] Poisoning By Succinimides And Oxazolidinediones, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.2X2S	[t42.2x2s] Poisoning By Succinimides And Oxazolidinediones, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.3X2A	[t42.3x2a] Poisoning By Barbiturates, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T42.3X2D	[t42.3x2d] Poisoning By Barbiturates, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.3X2S	[t42.3x2s] Poisoning By Barbiturates, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.4X2A	[t42.4x2a] Poisoning By Benzodiazepines, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T42.4X2D	[t42.4x2d] Poisoning By Benzodiazepines, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.4X2S	[t42.4x2s] Poisoning By Benzodiazepines, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.5X2A	[t42.5x2a] Poisoning By Mixed Antiepileptics, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T42.5X2D	[t42.5x2d] Poisoning By Mixed Antiepileptics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.5X2S	[t42.5x2s] Poisoning By Mixed Antiepileptics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.6X2A	[t42.6x2a] Poisoning By Other Antiepileptic And Sedative-hypnotic Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T42.6X2D	[t42.6x2d] Poisoning By Other Antiepileptic And Sedative-hypnotic Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.6X2S	[t42.6x2s] Poisoning By Other Antiepileptic And Sedative-hypnotic Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.72XA	[t42.72xa] Poisoning By Unspecified Antiepileptic And Sedative-hypnotic Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T42.72XD	[t42.72xd] Poisoning By Unspecified Antiepileptic And Sedative-hypnotic Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.72XS	[t42.72xs] Poisoning By Unspecified Antiepileptic And Sedative-hypnotic Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T42.8X2A	[t42.8x2a] Poisoning By Antiparkinsonism Drugs And Other Central Muscle-tone Depressants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T42.8X2D	[t42.8x2d] Poisoning By Antiparkinsonism Drugs And Other Central Muscle-tone Depressants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T42.8X2S	[t42.8x2s] Poisoning By Antiparkinsonism Drugs And Other Central Muscle-tone Depressants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.012A	[t43.012a] Poisoning By Tricyclic Antidepressants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.012D	[t43.012d] Poisoning By Tricyclic Antidepressants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.012S	[t43.012s] Poisoning By Tricyclic Antidepressants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.022A	[t43.022a] Poisoning By Tetracyclic Antidepressants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.022D	[t43.022d] Poisoning By Tetracyclic Antidepressants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.022S	[t43.022s] Poisoning By Tetracyclic Antidepressants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.1X2A	[t43.1x2a] Poisoning By Monoamine-oxidase-inhibitor Antidepressants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.1X2D	[t43.1x2d] Poisoning By Monoamine-oxidase-inhibitor Antidepressants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.1X2S	[t43.1x2s] Poisoning By Monoamine-oxidase-inhibitor Antidepressants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.202A	[t43.202a] Poisoning By Unspecified Antidepressants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.202D	[t43.202d] Poisoning By Unspecified Antidepressants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.202S	[t43.202s] Poisoning By Unspecified Antidepressants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.212A	[t43.212a] Poisoning By Selective Serotonin And Norepinephrine Reuptake Inhibitors, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.212D	[t43.212d] Poisoning By Selective Serotonin And Norepinephrine Reuptake Inhibitors, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.212S	[t43.212s] Poisoning By Selective Serotonin And Norepinephrine Reuptake Inhibitors, Intentional Self-harm, Sequela



## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T43.222A	[t43.222a] Poisoning By Selective Serotonin Reuptake Inhibitors, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.222D	[t43.222d] Poisoning By Selective Serotonin Reuptake Inhibitors, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.222S	[t43.222s] Poisoning By Selective Serotonin Reuptake Inhibitors, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.292A	[t43.292a] Poisoning By Other Antidepressants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.292D	[t43.292d] Poisoning By Other Antidepressants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.292S	[t43.292s] Poisoning By Other Antidepressants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.3X2A	[t43.3x2a] Poisoning By Phenothiazine Antipsychotics And Neuroleptics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.3X2D	[t43.3x2d] Poisoning By Phenothiazine Antipsychotics And Neuroleptics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.3X2S	[t43.3x2s] Poisoning By Phenothiazine Antipsychotics And Neuroleptics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.4X2A	[t43.4x2a] Poisoning By Butyrophenone And Thiothixene Neuroleptics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.4X2D	[t43.4x2d] Poisoning By Butyrophenone And Thiothixene Neuroleptics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.4X2S	[t43.4x2s] Poisoning By Butyrophenone And Thiothixene Neuroleptics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.502A	[t43.502a] Poisoning By Unspecified Antipsychotics And Neuroleptics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.502D	[t43.502d] Poisoning By Unspecified Antipsychotics And Neuroleptics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.502S	[t43.502s] Poisoning By Unspecified Antipsychotics And Neuroleptics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.592A	[t43.592a] Poisoning By Other Antipsychotics And Neuroleptics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.592D	[t43.592d] Poisoning By Other Antipsychotics And Neuroleptics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.592S	[t43.592s] Poisoning By Other Antipsychotics And Neuroleptics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.602A	[t43.602a] Poisoning By Unspecified Psychostimulants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.602D	[t43.602d] Poisoning By Unspecified Psychostimulants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.602S	[t43.602s] Poisoning By Unspecified Psychostimulants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.622A	[t43.622a] Poisoning By Amphetamines, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.622D	[t43.622d] Poisoning By Amphetamines, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.622S	[t43.622s] Poisoning By Amphetamines, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.632A	[t43.632a] Poisoning By Methylphenidate, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.632D	[t43.632d] Poisoning By Methylphenidate, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.632S	[t43.632s] Poisoning By Methylphenidate, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.642A	[t43.642a] Poisoning By Ecstasy, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.642D	[t43.642d] Poisoning By Ecstasy, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.642S	[t43.642s] Poisoning By Ecstasy, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.652A	[t43.652a] Poisoning By Methamphetamines Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.652D	[t43.652d] Poisoning By Methamphetamines Intentional Self-harm, Subsequent Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T43.652S	[t43.652s] Poisoning By Methamphetamines Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.692A	[t43.692a] Poisoning By Other Psychostimulants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.692D	[t43.692d] Poisoning By Other Psychostimulants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.692S	[t43.692s] Poisoning By Other Psychostimulants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.8X2A	[t43.8x2a] Poisoning By Other Psychotropic Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.8X2D	[t43.8x2d] Poisoning By Other Psychotropic Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.8X2S	[t43.8x2s] Poisoning By Other Psychotropic Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T43.92XA	[t43.92xa] Poisoning By Unspecified Psychotropic Drug, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T43.92XD	[t43.92xd] Poisoning By Unspecified Psychotropic Drug, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T43.92XS	[t43.92xs] Poisoning By Unspecified Psychotropic Drug, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.0X2A	[t44.0x2a] Poisoning By Anticholinesterase Agents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.0X2D	[t44.0x2d] Poisoning By Anticholinesterase Agents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.0X2S	[t44.0x2s] Poisoning By Anticholinesterase Agents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.1X2A	[t44.1x2a] Poisoning By Other Parasympathomimetics [cholinergics], Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.1X2D	[t44.1x2d] Poisoning By Other Parasympathomimetics [cholinergics], Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.1X2S	[t44.1x2s] Poisoning By Other Parasympathomimetics [cholinergics], Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.2X2A	[t44.2x2a] Poisoning By Ganglionic Blocking Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.2X2D	[t44.2x2d] Poisoning By Ganglionic Blocking Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.2X2S	[t44.2x2s] Poisoning By Ganglionic Blocking Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.3X2A	[t44.3x2a] Poisoning By Other Parasympatholytics [anticholinergics And Antimuscarinics] And Spasmolytics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.3X2D	[t44.3x2d] Poisoning By Other Parasympatholytics [anticholinergics And Antimuscarinics] And Spasmolytics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.3X2S	[t44.3x2s] Poisoning By Other Parasympatholytics [anticholinergics And Antimuscarinics] And Spasmolytics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.4X2A	[t44.4x2a] Poisoning By Predominantly Alpha-adrenoreceptor Agonists, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.4X2D	[t44.4x2d] Poisoning By Predominantly Alpha-adrenoreceptor Agonists, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.4X2S	[t44.4x2s] Poisoning By Predominantly Alpha-adrenoreceptor Agonists, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.5X2A	[t44.5x2a] Poisoning By Predominantly Beta-adrenoreceptor Agonists, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.5X2D	[t44.5x2d] Poisoning By Predominantly Beta-adrenoreceptor Agonists, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.5X2S	[t44.5x2s] Poisoning By Predominantly Beta-adrenoreceptor Agonists, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.6X2A	[t44.6x2a] Poisoning By Alpha-adrenoreceptor Antagonists, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T44.6X2D	[t44.6x2d] Poisoning By Alpha-adrenoreceptor Antagonists, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.6X2S	[t44.6x2s] Poisoning By Alpha-adrenoreceptor Antagonists, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.7X2A	[t44.7x2a] Poisoning By Beta-adrenoreceptor Antagonists, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.7X2D	[t44.7x2d] Poisoning By Beta-adrenoreceptor Antagonists, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.7X2S	[t44.7x2s] Poisoning By Beta-adrenoreceptor Antagonists, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.8X2A	[t44.8x2a] Poisoning By Centrally-acting And Adrenergic-neuron-blocking Agents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.8X2D	[t44.8x2d] Poisoning By Centrally-acting And Adrenergic-neuron-blocking Agents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.8X2S	[t44.8x2s] Poisoning By Centrally-acting And Adrenergic-neuron-blocking Agents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.902A	[t44.902a] Poisoning By Unspecified Drugs Primarily Affecting The Autonomic Nervous System, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.902D	[t44.902d] Poisoning By Unspecified Drugs Primarily Affecting The Autonomic Nervous System, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.902S	[t44.902s] Poisoning By Unspecified Drugs Primarily Affecting The Autonomic Nervous System, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T44.992A	[t44.992a] Poisoning By Other Drug Primarily Affecting The Autonomic Nervous System, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T44.992D	[t44.992d] Poisoning By Other Drug Primarily Affecting The Autonomic Nervous System, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T44.992S	[t44.992s] Poisoning By Other Drug Primarily Affecting The Autonomic Nervous System, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.0X2A	[t45.0x2a] Poisoning By Antiallergic And Antiemetic Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.0X2D	[t45.0x2d] Poisoning By Antiallergic And Antiemetic Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.0X2S	[t45.0x2s] Poisoning By Antiallergic And Antiemetic Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.1X2A	[t45.1x2a] Poisoning By Antineoplastic And Immunosuppressive Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.1X2D	[t45.1x2d] Poisoning By Antineoplastic And Immunosuppressive Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.1X2S	[t45.1x2s] Poisoning By Antineoplastic And Immunosuppressive Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.2X2A	[t45.2x2a] Poisoning By Vitamins, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.2X2D	[t45.2x2d] Poisoning By Vitamins, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.2X2S	[t45.2x2s] Poisoning By Vitamins, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.3X2A	[t45.3x2a] Poisoning By Enzymes, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.3X2D	[t45.3x2d] Poisoning By Enzymes, Intentional Self-harm, Subsequent Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T45.3X2S	[t45.3x2s] Poisoning By Enzymes, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.4X2A	[t45.4x2a] Poisoning By Iron And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.4X2D	[t45.4x2d] Poisoning By Iron And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.4X2S	[t45.4x2s] Poisoning By Iron And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.512A	[t45.512a] Poisoning By Anticoagulants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.512D	[t45.512d] Poisoning By Anticoagulants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.512S	[t45.512s] Poisoning By Anticoagulants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.522A	[t45.522a] Poisoning By Antithrombotic Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.522D	[t45.522d] Poisoning By Antithrombotic Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.522S	[t45.522s] Poisoning By Antithrombotic Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.602A	[t45.602a] Poisoning By Unspecified Fibrinolysis-affecting Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.602D	[t45.602d] Poisoning By Unspecified Fibrinolysis-affecting Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.602S	[t45.602s] Poisoning By Unspecified Fibrinolysis-affecting Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.612A	[t45.612a] Poisoning By Thrombolytic Drug, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.612D	[t45.612d] Poisoning By Thrombolytic Drug, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.612S	[t45.612s] Poisoning By Thrombolytic Drug, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.622A	[t45.622a] Poisoning By Hemostatic Drug, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.622D	[t45.622d] Poisoning By Hemostatic Drug, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.622S	[t45.622s] Poisoning By Hemostatic Drug, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.692A	[t45.692a] Poisoning By Other Fibrinolysis-affecting Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.692D	[t45.692d] Poisoning By Other Fibrinolysis-affecting Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.692S	[t45.692s] Poisoning By Other Fibrinolysis-affecting Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.7X2A	[t45.7x2a] Poisoning By Anticoagulant Antagonists, Vitamin K And Other Coagulants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.7X2D	[t45.7x2d] Poisoning By Anticoagulant Antagonists, Vitamin K And Other Coagulants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.7X2S	[t45.7x2s] Poisoning By Anticoagulant Antagonists, Vitamin K And Other Coagulants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T45.8X2A	[t45.8x2a] Poisoning By Other Primarily Systemic And Hematological Agents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.8X2D	[t45.8x2d] Poisoning By Other Primarily Systemic And Hematological Agents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.8X2S	[t45.8x2s] Poisoning By Other Primarily Systemic And Hematological Agents, Intentional Self-harm, Sequela

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T45.92XA	[t45.92xa] Poisoning By Unspecified Primarily Systemic And Hematological Agent, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T45.92XD	[t45.92xd] Poisoning By Unspecified Primarily Systemic And Hematological Agent, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T45.92XS	[t45.92xs] Poisoning By Unspecified Primarily Systemic And Hematological Agent, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.0X2A	[t46.0x2a] Poisoning By Cardiac-stimulant Glycosides And Drugs Of Similar Action, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.0X2D	[t46.0x2d] Poisoning By Cardiac-stimulant Glycosides And Drugs Of Similar Action, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.0X2S	[t46.0x2s] Poisoning By Cardiac-stimulant Glycosides And Drugs Of Similar Action, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.1X2A	[t46.1x2a] Poisoning By Calcium-channel Blockers, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.1X2D	[t46.1x2d] Poisoning By Calcium-channel Blockers, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.1X2S	[t46.1x2s] Poisoning By Calcium-channel Blockers, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.2X2A	[t46.2x2a] Poisoning By Other Antidysrhythmic Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.2X2D	[t46.2x2d] Poisoning By Other Antidysrhythmic Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.2X2S	[t46.2x2s] Poisoning By Other Antidysrhythmic Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.3X2A	[t46.3x2a] Poisoning By Coronary Vasodilators, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.3X2D	[t46.3x2d] Poisoning By Coronary Vasodilators, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.3X2S	[t46.3x2s] Poisoning By Coronary Vasodilators, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.4X2A	[t46.4x2a] Poisoning By Angiotensin-converting-enzyme Inhibitors, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.4X2D	[t46.4x2d] Poisoning By Angiotensin-converting-enzyme Inhibitors, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.4X2S	[t46.4x2s] Poisoning By Angiotensin-converting-enzyme Inhibitors, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.5X2A	[t46.5x2a] Poisoning By Other Antihypertensive Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.5X2D	[t46.5x2d] Poisoning By Other Antihypertensive Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.5X2S	[t46.5x2s] Poisoning By Other Antihypertensive Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.6X2A	[t46.6x2a] Poisoning By Antihyperlipidemic And Antiarteriosclerotic Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.6X2D	[t46.6x2d] Poisoning By Antihyperlipidemic And Antiarteriosclerotic Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.6X2S	[t46.6x2s] Poisoning By Antihyperlipidemic And Antiarteriosclerotic Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.7X2A	[t46.7x2a] Poisoning By Peripheral Vasodilators, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.7X2D	[t46.7x2d] Poisoning By Peripheral Vasodilators, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.7X2S	[t46.7x2s] Poisoning By Peripheral Vasodilators, Intentional Self-harm, Sequela



## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T46.8X2A	[t46.8x2a] Poisoning By Antivaricose Drugs, Including Sclerosing Agents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.8X2D	[t46.8x2d] Poisoning By Antivaricose Drugs, Including Sclerosing Agents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.8X2S	[t46.8x2s] Poisoning By Antivaricose Drugs, Including Sclerosing Agents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.902A	[t46.902a] Poisoning By Unspecified Agents Primarily Affecting The Cardiovascular System, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.902D	[t46.902d] Poisoning By Unspecified Agents Primarily Affecting The Cardiovascular System, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.902S	[t46.902s] Poisoning By Unspecified Agents Primarily Affecting The Cardiovascular System, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T46.992A	[t46.992a] Poisoning By Other Agents Primarily Affecting The Cardiovascular System, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T46.992D	[t46.992d] Poisoning By Other Agents Primarily Affecting The Cardiovascular System, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T46.992S	[t46.992s] Poisoning By Other Agents Primarily Affecting The Cardiovascular System, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.0X2A	[t47.0x2a] Poisoning By Histamine H2-receptor Blockers, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.0X2D	[t47.0x2d] Poisoning By Histamine H2-receptor Blockers, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.0X2S	[t47.0x2s] Poisoning By Histamine H2-receptor Blockers, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.1X2A	[t47.1x2a] Poisoning By Other Antacids And Anti-gastric-secretion Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.1X2D	[t47.1x2d] Poisoning By Other Antacids And Anti-gastric-secretion Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.1X2S	[t47.1x2s] Poisoning By Other Antacids And Anti-gastric-secretion Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.2X2A	[t47.2x2a] Poisoning By Stimulant Laxatives, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.2X2D	[t47.2x2d] Poisoning By Stimulant Laxatives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.2X2S	[t47.2x2s] Poisoning By Stimulant Laxatives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.3X2A	[t47.3x2a] Poisoning By Saline And Osmotic Laxatives, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.3X2D	[t47.3x2d] Poisoning By Saline And Osmotic Laxatives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.3X2S	[t47.3x2s] Poisoning By Saline And Osmotic Laxatives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.4X2A	[t47.4x2a] Poisoning By Other Laxatives, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.4X2D	[t47.4x2d] Poisoning By Other Laxatives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.4X2S	[t47.4x2s] Poisoning By Other Laxatives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.5X2A	[t47.5x2a] Poisoning By Digestants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.5X2D	[t47.5x2d] Poisoning By Digestants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.5X2S	[t47.5x2s] Poisoning By Digestants, Intentional Self-harm, Sequela

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T47.6X2A	[t47.6x2a] Poisoning By Antidiarrheal Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.6X2D	[t47.6x2d] Poisoning By Antidiarrheal Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.6X2S	[t47.6x2s] Poisoning By Antidiarrheal Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.7X2A	[t47.7x2a] Poisoning By Emetics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.7X2D	[t47.7x2d] Poisoning By Emetics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.7X2S	[t47.7x2s] Poisoning By Emetics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.8X2A	[t47.8x2a] Poisoning By Other Agents Primarily Affecting Gastrointestinal System, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.8X2D	[t47.8x2d] Poisoning By Other Agents Primarily Affecting Gastrointestinal System, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.8X2S	[t47.8x2s] Poisoning By Other Agents Primarily Affecting Gastrointestinal System, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T47.92XA	[t47.92xa] Poisoning By Unspecified Agents Primarily Affecting The Gastrointestinal System, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T47.92XD	[t47.92xd] Poisoning By Unspecified Agents Primarily Affecting The Gastrointestinal System, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T47.92XS	[t47.92xs] Poisoning By Unspecified Agents Primarily Affecting The Gastrointestinal System, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.0X2A	[t48.0x2a] Poisoning By Oxytotic Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.0X2D	[t48.0x2d] Poisoning By Oxytotic Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.0X2S	[t48.0x2s] Poisoning By Oxytotic Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.1X2A	[t48.1x2a] Poisoning By Skeletal Muscle Relaxants [neuromuscular Blocking Agents], Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.1X2D	[t48.1x2d] Poisoning By Skeletal Muscle Relaxants [neuromuscular Blocking Agents], Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.1X2S	[t48.1x2s] Poisoning By Skeletal Muscle Relaxants [neuromuscular Blocking Agents], Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.202A	[t48.202a] Poisoning By Unspecified Drugs Acting On Muscles, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.202D	[t48.202d] Poisoning By Unspecified Drugs Acting On Muscles, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.202S	[t48.202s] Poisoning By Unspecified Drugs Acting On Muscles, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.292A	[t48.292a] Poisoning By Other Drugs Acting On Muscles, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.292D	[t48.292d] Poisoning By Other Drugs Acting On Muscles, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.292S	[t48.292s] Poisoning By Other Drugs Acting On Muscles, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.3X2A	[t48.3x2a] Poisoning By Antitussives, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T48.3X2D	[t48.3x2d] Poisoning By Antitussives, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.3X2S	[t48.3x2s] Poisoning By Antitussives, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.4X2A	[t48.4x2a] Poisoning By Expectorants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.4X2D	[t48.4x2d] Poisoning By Expectorants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.4X2S	[t48.4x2s] Poisoning By Expectorants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.5X2A	[t48.5x2a] Poisoning By Other Anti-common-cold Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.5X2D	[t48.5x2d] Poisoning By Other Anti-common-cold Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.5X2S	[t48.5x2s] Poisoning By Other Anti-common-cold Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.6X2A	[t48.6x2a] Poisoning By Antiasthmatics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.6X2D	[t48.6x2d] Poisoning By Antiasthmatics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.6X2S	[t48.6x2s] Poisoning By Antiasthmatics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.902A	[t48.902a] Poisoning By Unspecified Agents Primarily Acting On The Respiratory System, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.902D	[t48.902d] Poisoning By Unspecified Agents Primarily Acting On The Respiratory System, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.902S	[t48.902s] Poisoning By Unspecified Agents Primarily Acting On The Respiratory System, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T48.992A	[t48.992a] Poisoning By Other Agents Primarily Acting On The Respiratory System, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T48.992D	[t48.992d] Poisoning By Other Agents Primarily Acting On The Respiratory System, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T48.992S	[t48.992s] Poisoning By Other Agents Primarily Acting On The Respiratory System, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.0X2A	[t49.0x2a] Poisoning By Local Antifungal, Anti-infective And Anti-inflammatory Drugs, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.0X2D	[t49.0x2d] Poisoning By Local Antifungal, Anti-infective And Anti-inflammatory Drugs, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.0X2S	[t49.0x2s] Poisoning By Local Antifungal, Anti-infective And Anti-inflammatory Drugs, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.1X2A	[t49.1x2a] Poisoning By Antipruritics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.1X2D	[t49.1x2d] Poisoning By Antipruritics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.1X2S	[t49.1x2s] Poisoning By Antipruritics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.2X2A	[t49.2x2a] Poisoning By Local Astringents And Local Detergents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.2X2D	[t49.2x2d] Poisoning By Local Astringents And Local Detergents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.2X2S	[t49.2x2s] Poisoning By Local Astringents And Local Detergents, Intentional Self-harm, Sequela

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T49.3X2A	[t49.3x2a] Poisoning By Emollients, Demulcents And Protectants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.3X2D	[t49.3x2d] Poisoning By Emollients, Demulcents And Protectants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.3X2S	[t49.3x2s] Poisoning By Emollients, Demulcents And Protectants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.4X2A	[t49.4x2a] Poisoning By Keratolytics, Keratoplastics, And Other Hair Treatment Drugs And Preparations, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.4X2D	[t49.4x2d] Poisoning By Keratolytics, Keratoplastics, And Other Hair Treatment Drugs And Preparations, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.4X2S	[t49.4x2s] Poisoning By Keratolytics, Keratoplastics, And Other Hair Treatment Drugs And Preparations, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.5X2A	[t49.5x2a] Poisoning By Ophthalmological Drugs And Preparations, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.5X2D	[t49.5x2d] Poisoning By Ophthalmological Drugs And Preparations, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.5X2S	[t49.5x2s] Poisoning By Ophthalmological Drugs And Preparations, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.6X2A	[t49.6x2a] Poisoning By Otorhinolaryngological Drugs And Preparations, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.6X2D	[t49.6x2d] Poisoning By Otorhinolaryngological Drugs And Preparations, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.6X2S	[t49.6x2s] Poisoning By Otorhinolaryngological Drugs And Preparations, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.7X2A	[t49.7x2a] Poisoning By Dental Drugs, Topically Applied, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.7X2D	[t49.7x2d] Poisoning By Dental Drugs, Topically Applied, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.7X2S	[t49.7x2s] Poisoning By Dental Drugs, Topically Applied, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.8X2A	[t49.8x2a] Poisoning By Other Topical Agents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.8X2D	[t49.8x2d] Poisoning By Other Topical Agents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.8X2S	[t49.8x2s] Poisoning By Other Topical Agents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T49.92XA	[t49.92xa] Poisoning By Unspecified Topical Agent, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T49.92XD	[t49.92xd] Poisoning By Unspecified Topical Agent, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T49.92XS	[t49.92xs] Poisoning By Unspecified Topical Agent, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.0X2A	[t50.0x2a] Poisoning By Mineralocorticoids And Their Antagonists, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.0X2D	[t50.0x2d] Poisoning By Mineralocorticoids And Their Antagonists, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.0X2S	[t50.0x2s] Poisoning By Mineralocorticoids And Their Antagonists, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.1X2A	[t50.1x2a] Poisoning By Loop [high-ceiling] Diuretics, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.1X2D	[t50.1x2d] Poisoning By Loop [high-ceiling] Diuretics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.1X2S	[t50.1x2s] Poisoning By Loop [high-ceiling] Diuretics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.2X2A	[t50.2x2a] Poisoning By Carbonic-anhydrase Inhibitors, Benzothiadiazides And Other Diuretics, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T50.2X2D	[t50.2x2d] Poisoning By Carbonic-anhydrase Inhibitors, Benzothiadiazides And Other Diuretics, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.2X2S	[t50.2x2s] Poisoning By Carbonic-anhydrase Inhibitors, Benzothiadiazides And Other Diuretics, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.3X2A	[t50.3x2a] Poisoning By Electrolytic, Caloric And Water-balance Agents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.3X2D	[t50.3x2d] Poisoning By Electrolytic, Caloric And Water-balance Agents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.3X2S	[t50.3x2s] Poisoning By Electrolytic, Caloric And Water-balance Agents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.4X2A	[t50.4x2a] Poisoning By Drugs Affecting Uric Acid Metabolism, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.4X2D	[t50.4x2d] Poisoning By Drugs Affecting Uric Acid Metabolism, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.4X2S	[t50.4x2s] Poisoning By Drugs Affecting Uric Acid Metabolism, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.5X2A	[t50.5x2a] Poisoning By Appetite Depressants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.5X2D	[t50.5x2d] Poisoning By Appetite Depressants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.5X2S	[t50.5x2s] Poisoning By Appetite Depressants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.6X2A	[t50.6x2a] Poisoning By Antidotes And Chelating Agents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.6X2D	[t50.6x2d] Poisoning By Antidotes And Chelating Agents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.6X2S	[t50.6x2s] Poisoning By Antidotes And Chelating Agents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.7X2A	[t50.7x2a] Poisoning By Analeptics And Opioid Receptor Antagonists, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.7X2D	[t50.7x2d] Poisoning By Analeptics And Opioid Receptor Antagonists, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.7X2S	[t50.7x2s] Poisoning By Analeptics And Opioid Receptor Antagonists, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.8X2A	[t50.8x2a] Poisoning By Diagnostic Agents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.8X2D	[t50.8x2d] Poisoning By Diagnostic Agents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.8X2S	[t50.8x2s] Poisoning By Diagnostic Agents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.902A	[t50.902a] Poisoning By Unspecified Drugs, Medicaments And Biological Substances, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.902D	[t50.902d] Poisoning By Unspecified Drugs, Medicaments And Biological Substances, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.902S	[t50.902s] Poisoning By Unspecified Drugs, Medicaments And Biological Substances, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.912A	[t50.912a] Poisoning By Multiple Unspecified Drugs, Medicaments And Biological Substances, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.912D	[t50.912d] Poisoning By Multiple Unspecified Drugs, Medicaments And Biological Substances, Intentional Self-harm, Subsequent Encounter



## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T50.912S	[t50.912s] Poisoning By Multiple Unspecified Drugs, Medicaments And Biological Substances, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.992A	[t50.992a] Poisoning By Other Drugs, Medicaments And Biological Substances, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.992D	[t50.992d] Poisoning By Other Drugs, Medicaments And Biological Substances, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.992S	[t50.992s] Poisoning By Other Drugs, Medicaments And Biological Substances, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.A12A	[t50.a12a] Poisoning By Pertussis Vaccine, Including Combinations With A Pertussis Component, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.A12D	[t50.a12d] Poisoning By Pertussis Vaccine, Including Combinations With A Pertussis Component, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.A12S	[t50.a12s] Poisoning By Pertussis Vaccine, Including Combinations With A Pertussis Component, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.A22A	[t50.a22a] Poisoning By Mixed Bacterial Vaccines Without A Pertussis Component, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.A22D	[t50.a22d] Poisoning By Mixed Bacterial Vaccines Without A Pertussis Component, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.A22S	[t50.a22s] Poisoning By Mixed Bacterial Vaccines Without A Pertussis Component, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.A92A	[t50.a92a] Poisoning By Other Bacterial Vaccines, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.A92D	[t50.a92d] Poisoning By Other Bacterial Vaccines, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.A92S	[t50.a92s] Poisoning By Other Bacterial Vaccines, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.B12A	[t50.b12a] Poisoning By Smallpox Vaccines, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.B12D	[t50.b12d] Poisoning By Smallpox Vaccines, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.B12S	[t50.b12s] Poisoning By Smallpox Vaccines, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.B92A	[t50.b92a] Poisoning By Other Viral Vaccines, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.B92D	[t50.b92d] Poisoning By Other Viral Vaccines, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.B92S	[t50.b92s] Poisoning By Other Viral Vaccines, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.Z12A	[t50.z12a] Poisoning By Immunoglobulin, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.Z12D	[t50.z12d] Poisoning By Immunoglobulin, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.Z12S	[t50.z12s] Poisoning By Immunoglobulin, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T50.Z92A	[t50.z92a] Poisoning By Other Vaccines And Biological Substances, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T50.Z92D	[t50.z92d] Poisoning By Other Vaccines And Biological Substances, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T50.Z92S	[t50.z92s] Poisoning By Other Vaccines And Biological Substances, Intentional Self-harm, Sequela

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T51.0X2A	[t51.0x2a] Toxic Effect Of Ethanol, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T51.0X2D	[t51.0x2d] Toxic Effect Of Ethanol, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T51.0X2S	[t51.0x2s] Toxic Effect Of Ethanol, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T51.1X2A	[t51.1x2a] Toxic Effect Of Methanol, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T51.1X2D	[t51.1x2d] Toxic Effect Of Methanol, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T51.1X2S	[t51.1x2s] Toxic Effect Of Methanol, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T51.2X2A	[t51.2x2a] Toxic Effect Of 2-propanol, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T51.2X2D	[t51.2x2d] Toxic Effect Of 2-propanol, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T51.2X2S	[t51.2x2s] Toxic Effect Of 2-propanol, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T51.3X2A	[t51.3x2a] Toxic Effect Of Fusel Oil, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T51.3X2D	[t51.3x2d] Toxic Effect Of Fusel Oil, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T51.3X2S	[t51.3x2s] Toxic Effect Of Fusel Oil, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T51.8X2A	[t51.8x2a] Toxic Effect Of Other Alcohols, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T51.8X2D	[t51.8x2d] Toxic Effect Of Other Alcohols, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T51.8X2S	[t51.8x2s] Toxic Effect Of Other Alcohols, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T51.92XA	[t51.92xa] Toxic Effect Of Unspecified Alcohol, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T51.92XD	[t51.92xd] Toxic Effect Of Unspecified Alcohol, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T51.92XS	[t51.92xs] Toxic Effect Of Unspecified Alcohol, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T52.0X2A	[t52.0x2a] Toxic Effect Of Petroleum Products, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T52.0X2D	[t52.0x2d] Toxic Effect Of Petroleum Products, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T52.0X2S	[t52.0x2s] Toxic Effect Of Petroleum Products, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T52.1X2A	[t52.1x2a] Toxic Effect Of Benzene, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T52.1X2D	[t52.1x2d] Toxic Effect Of Benzene, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T52.1X2S	[t52.1x2s] Toxic Effect Of Benzene, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T52.2X2A	[t52.2x2a] Toxic Effect Of Homologues Of Benzene, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T52.2X2D	[t52.2x2d] Toxic Effect Of Homologues Of Benzene, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T52.2X2S	[t52.2x2s] Toxic Effect Of Homologues Of Benzene, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T52.3X2A	[t52.3x2a] Toxic Effect Of Glycols, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T52.3X2D	[t52.3x2d] Toxic Effect Of Glycols, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T52.3X2S	[t52.3x2s] Toxic Effect Of Glycols, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T52.4X2A	[t52.4x2a] Toxic Effect Of Ketones, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T52.4X2D	[t52.4x2d] Toxic Effect Of Ketones, Intentional Self-harm, Subsequent Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T52.4X2S	[t52.4x2s] Toxic Effect Of Ketones, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T52.8X2A	[t52.8x2a] Toxic Effect Of Other Organic Solvents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T52.8X2D	[t52.8x2d] Toxic Effect Of Other Organic Solvents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T52.8X2S	[t52.8x2s] Toxic Effect Of Other Organic Solvents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T52.92XA	[t52.92xa] Toxic Effect Of Unspecified Organic Solvent, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T52.92XD	[t52.92xd] Toxic Effect Of Unspecified Organic Solvent, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T52.92XS	[t52.92xs] Toxic Effect Of Unspecified Organic Solvent, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.0X2A	[t53.0x2a] Toxic Effect Of Carbon Tetrachloride, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.0X2D	[t53.0x2d] Toxic Effect Of Carbon Tetrachloride, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T53.0X2S	[t53.0x2s] Toxic Effect Of Carbon Tetrachloride, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.1X2A	[t53.1x2a] Toxic Effect Of Chloroform, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.1X2D	[t53.1x2d] Toxic Effect Of Chloroform, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T53.1X2S	[t53.1x2s] Toxic Effect Of Chloroform, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.2X2A	[t53.2x2a] Toxic Effect Of Trichloroethylene, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.2X2D	[t53.2x2d] Toxic Effect Of Trichloroethylene, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T53.2X2S	[t53.2x2s] Toxic Effect Of Trichloroethylene, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.3X2A	[t53.3x2a] Toxic Effect Of Tetrachloroethylene, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.3X2D	[t53.3x2d] Toxic Effect Of Tetrachloroethylene, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T53.3X2S	[t53.3x2s] Toxic Effect Of Tetrachloroethylene, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.4X2A	[t53.4x2a] Toxic Effect Of Dichloromethane, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.4X2D	[t53.4x2d] Toxic Effect Of Dichloromethane, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T53.4X2S	[t53.4x2s] Toxic Effect Of Dichloromethane, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.5X2A	[t53.5x2a] Toxic Effect Of Chlorofluorocarbons, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.5X2D	[t53.5x2d] Toxic Effect Of Chlorofluorocarbons, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T53.5X2S	[t53.5x2s] Toxic Effect Of Chlorofluorocarbons, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.6X2A	[t53.6x2a] Toxic Effect Of Other Halogen Derivatives Of Aliphatic Hydrocarbons, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.6X2D	[t53.6x2d] Toxic Effect Of Other Halogen Derivatives Of Aliphatic Hydrocarbons, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T53.6X2S	[t53.6x2s] Toxic Effect Of Other Halogen Derivatives Of Aliphatic Hydrocarbons, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.7X2A	[t53.7x2a] Toxic Effect Of Other Halogen Derivatives Of Aromatic Hydrocarbons, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.7X2D	[t53.7x2d] Toxic Effect Of Other Halogen Derivatives Of Aromatic Hydrocarbons, Intentional Self-harm, Subsequent Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T53.7X2S	[t53.7x2s] Toxic Effect Of Other Halogen Derivatives Of Aromatic Hydrocarbons, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T53.92XA	[t53.92xa] Toxic Effect Of Unspecified Halogen Derivatives Of Aliphatic And Aromatic Hydrocarbons, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T53.92XD	[t53.92xd] Toxic Effect Of Unspecified Halogen Derivatives Of Aliphatic And Aromatic Hydrocarbons, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T53.92XS	[t53.92xs] Toxic Effect Of Unspecified Halogen Derivatives Of Aliphatic And Aromatic Hydrocarbons, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T54.0X2A	[t54.0x2a] Toxic Effect Of Phenol And Phenol Homologues, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T54.0X2D	[t54.0x2d] Toxic Effect Of Phenol And Phenol Homologues, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T54.0X2S	[t54.0x2s] Toxic Effect Of Phenol And Phenol Homologues, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T54.1X2A	[t54.1x2a] Toxic Effect Of Other Corrosive Organic Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T54.1X2D	[t54.1x2d] Toxic Effect Of Other Corrosive Organic Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T54.1X2S	[t54.1x2s] Toxic Effect Of Other Corrosive Organic Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T54.2X2A	[t54.2x2a] Toxic Effect Of Corrosive Acids And Acid-like Substances, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T54.2X2D	[t54.2x2d] Toxic Effect Of Corrosive Acids And Acid-like Substances, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T54.2X2S	[t54.2x2s] Toxic Effect Of Corrosive Acids And Acid-like Substances, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T54.3X2A	[t54.3x2a] Toxic Effect Of Corrosive Alkalis And Alkali-like Substances, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T54.3X2D	[t54.3x2d] Toxic Effect Of Corrosive Alkalis And Alkali-like Substances, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T54.3X2S	[t54.3x2s] Toxic Effect Of Corrosive Alkalis And Alkali-like Substances, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T54.92XA	[t54.92xa] Toxic Effect Of Unspecified Corrosive Substance, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T54.92XD	[t54.92xd] Toxic Effect Of Unspecified Corrosive Substance, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T54.92XS	[t54.92xs] Toxic Effect Of Unspecified Corrosive Substance, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T55.0X2A	[t55.0x2a] Toxic Effect Of Soaps, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T55.0X2D	[t55.0x2d] Toxic Effect Of Soaps, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T55.0X2S	[t55.0x2s] Toxic Effect Of Soaps, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T55.1X2A	[t55.1x2a] Toxic Effect Of Detergents, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T55.1X2D	[t55.1x2d] Toxic Effect Of Detergents, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T55.1X2S	[t55.1x2s] Toxic Effect Of Detergents, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.0X2A	[t56.0x2a] Toxic Effect Of Lead And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.0X2D	[t56.0x2d] Toxic Effect Of Lead And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.0X2S	[t56.0x2s] Toxic Effect Of Lead And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.1X2A	[t56.1x2a] Toxic Effect Of Mercury And Its Compounds, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T56.1X2D	[t56.1x2d] Toxic Effect Of Mercury And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.1X2S	[t56.1x2s] Toxic Effect Of Mercury And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.2X2A	[t56.2x2a] Toxic Effect Of Chromium And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.2X2D	[t56.2x2d] Toxic Effect Of Chromium And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.2X2S	[t56.2x2s] Toxic Effect Of Chromium And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.3X2A	[t56.3x2a] Toxic Effect Of Cadmium And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.3X2D	[t56.3x2d] Toxic Effect Of Cadmium And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.3X2S	[t56.3x2s] Toxic Effect Of Cadmium And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.4X2A	[t56.4x2a] Toxic Effect Of Copper And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.4X2D	[t56.4x2d] Toxic Effect Of Copper And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.4X2S	[t56.4x2s] Toxic Effect Of Copper And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.5X2A	[t56.5x2a] Toxic Effect Of Zinc And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.5X2D	[t56.5x2d] Toxic Effect Of Zinc And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.5X2S	[t56.5x2s] Toxic Effect Of Zinc And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.6X2A	[t56.6x2a] Toxic Effect Of Tin And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.6X2D	[t56.6x2d] Toxic Effect Of Tin And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.6X2S	[t56.6x2s] Toxic Effect Of Tin And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.7X2A	[t56.7x2a] Toxic Effect Of Beryllium And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.7X2D	[t56.7x2d] Toxic Effect Of Beryllium And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.7X2S	[t56.7x2s] Toxic Effect Of Beryllium And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.812A	[t56.812a] Toxic Effect Of Thallium, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.812D	[t56.812d] Toxic Effect Of Thallium, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.812S	[t56.812s] Toxic Effect Of Thallium, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.892A	[t56.892a] Toxic Effect Of Other Metals, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.892D	[t56.892d] Toxic Effect Of Other Metals, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.892S	[t56.892s] Toxic Effect Of Other Metals, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T56.92XA	[t56.92xa] Toxic Effect Of Unspecified Metal, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T56.92XD	[t56.92xd] Toxic Effect Of Unspecified Metal, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T56.92XS	[t56.92xs] Toxic Effect Of Unspecified Metal, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T57.0X2A	[t57.0x2a] Toxic Effect Of Arsenic And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T57.0X2D	[t57.0x2d] Toxic Effect Of Arsenic And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T57.0X2S	[t57.0x2s] Toxic Effect Of Arsenic And Its Compounds, Intentional Self-harm, Sequela



## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T57.1X2A	[t57.1x2a] Toxic Effect Of Phosphorus And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T57.1X2D	[t57.1x2d] Toxic Effect Of Phosphorus And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T57.1X2S	[t57.1x2s] Toxic Effect Of Phosphorus And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T57.2X2A	[t57.2x2a] Toxic Effect Of Manganese And Its Compounds, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T57.2X2D	[t57.2x2d] Toxic Effect Of Manganese And Its Compounds, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T57.2X2S	[t57.2x2s] Toxic Effect Of Manganese And Its Compounds, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T57.3X2A	[t57.3x2a] Toxic Effect Of Hydrogen Cyanide, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T57.3X2D	[t57.3x2d] Toxic Effect Of Hydrogen Cyanide, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T57.3X2S	[t57.3x2s] Toxic Effect Of Hydrogen Cyanide, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T57.8X2A	[t57.8x2a] Toxic Effect Of Other Specified Inorganic Substances, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T57.8X2D	[t57.8x2d] Toxic Effect Of Other Specified Inorganic Substances, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T57.8X2S	[t57.8x2s] Toxic Effect Of Other Specified Inorganic Substances, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T57.92XA	[t57.92xa] Toxic Effect Of Unspecified Inorganic Substance, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T57.92XD	[t57.92xd] Toxic Effect Of Unspecified Inorganic Substance, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T57.92XS	[t57.92xs] Toxic Effect Of Unspecified Inorganic Substance, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T58.02XA	[t58.02xa] Toxic Effect Of Carbon Monoxide From Motor Vehicle Exhaust, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T58.02XD	[t58.02xd] Toxic Effect Of Carbon Monoxide From Motor Vehicle Exhaust, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T58.02XS	[t58.02xs] Toxic Effect Of Carbon Monoxide From Motor Vehicle Exhaust, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T58.12XA	[t58.12xa] Toxic Effect Of Carbon Monoxide From Utility Gas, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T58.12XD	[t58.12xd] Toxic Effect Of Carbon Monoxide From Utility Gas, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T58.12XS	[t58.12xs] Toxic Effect Of Carbon Monoxide From Utility Gas, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T58.2X2A	[t58.2x2a] Toxic Effect Of Carbon Monoxide From Incomplete Combustion Of Other Domestic Fuels, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T58.2X2D	[t58.2x2d] Toxic Effect Of Carbon Monoxide From Incomplete Combustion Of Other Domestic Fuels, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T58.2X2S	[t58.2x2s] Toxic Effect Of Carbon Monoxide From Incomplete Combustion Of Other Domestic Fuels, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T58.8X2A	[t58.8x2a] Toxic Effect Of Carbon Monoxide From Other Source, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T58.8X2D	[t58.8x2d] Toxic Effect Of Carbon Monoxide From Other Source, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T58.8X2S	[t58.8x2s] Toxic Effect Of Carbon Monoxide From Other Source, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T58.92XA	[t58.92xa] Toxic Effect Of Carbon Monoxide From Unspecified Source, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T58.92XD	[t58.92xd] Toxic Effect Of Carbon Monoxide From Unspecified Source, Intentional Self-harm, Subsequent Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T58.92XS	[t58.92xs] Toxic Effect Of Carbon Monoxide From Unspecified Source, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.0X2A	[t59.0x2a] Toxic Effect Of Nitrogen Oxides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.0X2D	[t59.0x2d] Toxic Effect Of Nitrogen Oxides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.0X2S	[t59.0x2s] Toxic Effect Of Nitrogen Oxides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.1X2A	[t59.1x2a] Toxic Effect Of Sulfur Dioxide, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.1X2D	[t59.1x2d] Toxic Effect Of Sulfur Dioxide, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.1X2S	[t59.1x2s] Toxic Effect Of Sulfur Dioxide, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.2X2A	[t59.2x2a] Toxic Effect Of Formaldehyde, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.2X2D	[t59.2x2d] Toxic Effect Of Formaldehyde, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.2X2S	[t59.2x2s] Toxic Effect Of Formaldehyde, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.3X2A	[t59.3x2a] Toxic Effect Of Lacrimogenic Gas, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.3X2D	[t59.3x2d] Toxic Effect Of Lacrimogenic Gas, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.3X2S	[t59.3x2s] Toxic Effect Of Lacrimogenic Gas, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.4X2A	[t59.4x2a] Toxic Effect Of Chlorine Gas, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.4X2D	[t59.4x2d] Toxic Effect Of Chlorine Gas, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.4X2S	[t59.4x2s] Toxic Effect Of Chlorine Gas, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.5X2A	[t59.5x2a] Toxic Effect Of Fluorine Gas And Hydrogen Fluoride, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.5X2D	[t59.5x2d] Toxic Effect Of Fluorine Gas And Hydrogen Fluoride, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.5X2S	[t59.5x2s] Toxic Effect Of Fluorine Gas And Hydrogen Fluoride, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.6X2A	[t59.6x2a] Toxic Effect Of Hydrogen Sulfide, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.6X2D	[t59.6x2d] Toxic Effect Of Hydrogen Sulfide, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.6X2S	[t59.6x2s] Toxic Effect Of Hydrogen Sulfide, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.7X2A	[t59.7x2a] Toxic Effect Of Carbon Dioxide, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.7X2D	[t59.7x2d] Toxic Effect Of Carbon Dioxide, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.7X2S	[t59.7x2s] Toxic Effect Of Carbon Dioxide, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.812A	[t59.812a] Toxic Effect Of Smoke, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.812D	[t59.812d] Toxic Effect Of Smoke, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.812S	[t59.812s] Toxic Effect Of Smoke, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.892A	[t59.892a] Toxic Effect Of Other Specified Gases, Fumes And Vapors, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T59.892D	[t59.892d] Toxic Effect Of Other Specified Gases, Fumes And Vapors, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.892S	[t59.892s] Toxic Effect Of Other Specified Gases, Fumes And Vapors, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T59.92XA	[t59.92xa] Toxic Effect Of Unspecified Gases, Fumes And Vapors, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T59.92XD	[t59.92xd] Toxic Effect Of Unspecified Gases, Fumes And Vapors, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T59.92XS	[t59.92xs] Toxic Effect Of Unspecified Gases, Fumes And Vapors, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T60.0X2A	[t60.0x2a] Toxic Effect Of Organophosphate And Carbamate Insecticides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T60.0X2D	[t60.0x2d] Toxic Effect Of Organophosphate And Carbamate Insecticides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T60.0X2S	[t60.0x2s] Toxic Effect Of Organophosphate And Carbamate Insecticides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T60.1X2A	[t60.1x2a] Toxic Effect Of Halogenated Insecticides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T60.1X2D	[t60.1x2d] Toxic Effect Of Halogenated Insecticides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T60.1X2S	[t60.1x2s] Toxic Effect Of Halogenated Insecticides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T60.2X2A	[t60.2x2a] Toxic Effect Of Other Insecticides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T60.2X2D	[t60.2x2d] Toxic Effect Of Other Insecticides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T60.2X2S	[t60.2x2s] Toxic Effect Of Other Insecticides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T60.3X2A	[t60.3x2a] Toxic Effect Of Herbicides And Fungicides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T60.3X2D	[t60.3x2d] Toxic Effect Of Herbicides And Fungicides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T60.3X2S	[t60.3x2s] Toxic Effect Of Herbicides And Fungicides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T60.4X2A	[t60.4x2a] Toxic Effect Of Rodenticides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T60.4X2D	[t60.4x2d] Toxic Effect Of Rodenticides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T60.4X2S	[t60.4x2s] Toxic Effect Of Rodenticides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T60.8X2A	[t60.8x2a] Toxic Effect Of Other Pesticides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T60.8X2D	[t60.8x2d] Toxic Effect Of Other Pesticides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T60.8X2S	[t60.8x2s] Toxic Effect Of Other Pesticides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T60.92XA	[t60.92xa] Toxic Effect Of Unspecified Pesticide, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T60.92XD	[t60.92xd] Toxic Effect Of Unspecified Pesticide, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T60.92XS	[t60.92xs] Toxic Effect Of Unspecified Pesticide, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T61.02XA	[t61.02xa] Ciguatera Fish Poisoning, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T61.02XD	[t61.02xd] Ciguatera Fish Poisoning, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T61.02XS	[t61.02xs] Ciguatera Fish Poisoning, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T61.12XA	[t61.12xa] Scombroid Fish Poisoning, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T61.12XD	[t61.12xd] Scombroid Fish Poisoning, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T61.12XS	[t61.12xs] Scombroid Fish Poisoning, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T61.772A	[t61.772a] Other Fish Poisoning, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T61.772D	[t61.772d] Other Fish Poisoning, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T61.772S	[t61.772s] Other Fish Poisoning, Intentional Self-harm, Sequela

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T61.782A	[t61.782a] Other Shellfish Poisoning, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T61.782D	[t61.782d] Other Shellfish Poisoning, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T61.782S	[t61.782s] Other Shellfish Poisoning, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T61.8X2A	[t61.8x2a] Toxic Effect Of Other Seafood, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T61.8X2D	[t61.8x2d] Toxic Effect Of Other Seafood, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T61.8X2S	[t61.8x2s] Toxic Effect Of Other Seafood, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T61.92XA	[t61.92xa] Toxic Effect Of Unspecified Seafood, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T61.92XD	[t61.92xd] Toxic Effect Of Unspecified Seafood, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T61.92XS	[t61.92xs] Toxic Effect Of Unspecified Seafood, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T62.0X2A	[t62.0x2a] Toxic Effect Of Ingested Mushrooms, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T62.0X2D	[t62.0x2d] Toxic Effect Of Ingested Mushrooms, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T62.0X2S	[t62.0x2s] Toxic Effect Of Ingested Mushrooms, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T62.1X2A	[t62.1x2a] Toxic Effect Of Ingested Berries, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T62.1X2D	[t62.1x2d] Toxic Effect Of Ingested Berries, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T62.1X2S	[t62.1x2s] Toxic Effect Of Ingested Berries, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T62.2X2A	[t62.2x2a] Toxic Effect Of Other Ingested (parts Of) Plant(s), Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T62.2X2D	[t62.2x2d] Toxic Effect Of Other Ingested (parts Of) Plant(s), Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T62.2X2S	[t62.2x2s] Toxic Effect Of Other Ingested (parts Of) Plant(s), Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T62.8X2A	[t62.8x2a] Toxic Effect Of Other Specified Noxious Substances Eaten As Food, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T62.8X2D	[t62.8x2d] Toxic Effect Of Other Specified Noxious Substances Eaten As Food, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T62.8X2S	[t62.8x2s] Toxic Effect Of Other Specified Noxious Substances Eaten As Food, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T62.92XA	[t62.92xa] Toxic Effect Of Unspecified Noxious Substance Eaten As Food, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T62.92XD	[t62.92xd] Toxic Effect Of Unspecified Noxious Substance Eaten As Food, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T62.92XS	[t62.92xs] Toxic Effect Of Unspecified Noxious Substance Eaten As Food, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.002A	[t63.002a] Toxic Effect Of Unspecified Snake Venom, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.002D	[t63.002d] Toxic Effect Of Unspecified Snake Venom, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.002S	[t63.002s] Toxic Effect Of Unspecified Snake Venom, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.012A	[t63.012a] Toxic Effect Of Rattlesnake Venom, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.012D	[t63.012d] Toxic Effect Of Rattlesnake Venom, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.012S	[t63.012s] Toxic Effect Of Rattlesnake Venom, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.022A	[t63.022a] Toxic Effect Of Coral Snake Venom, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T63.022D	[t63.022d] Toxic Effect Of Coral Snake Venom, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.022S	[t63.022s] Toxic Effect Of Coral Snake Venom, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.032A	[t63.032a] Toxic Effect Of Taipan Venom, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.032D	[t63.032d] Toxic Effect Of Taipan Venom, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.032S	[t63.032s] Toxic Effect Of Taipan Venom, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.042A	[t63.042a] Toxic Effect Of Cobra Venom, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.042D	[t63.042d] Toxic Effect Of Cobra Venom, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.042S	[t63.042s] Toxic Effect Of Cobra Venom, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.062A	[t63.062a] Toxic Effect Of Venom Of Other North And South American Snake, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.062D	[t63.062d] Toxic Effect Of Venom Of Other North And South American Snake, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.062S	[t63.062s] Toxic Effect Of Venom Of Other North And South American Snake, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.072A	[t63.072a] Toxic Effect Of Venom Of Other Australian Snake, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.072D	[t63.072d] Toxic Effect Of Venom Of Other Australian Snake, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.072S	[t63.072s] Toxic Effect Of Venom Of Other Australian Snake, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.082A	[t63.082a] Toxic Effect Of Venom Of Other African And Asian Snake, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.082D	[t63.082d] Toxic Effect Of Venom Of Other African And Asian Snake, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.082S	[t63.082s] Toxic Effect Of Venom Of Other African And Asian Snake, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.092A	[t63.092a] Toxic Effect Of Venom Of Other Snake, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.092D	[t63.092d] Toxic Effect Of Venom Of Other Snake, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.092S	[t63.092s] Toxic Effect Of Venom Of Other Snake, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.112A	[t63.112a] Toxic Effect Of Venom Of Gila Monster, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.112D	[t63.112d] Toxic Effect Of Venom Of Gila Monster, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.112S	[t63.112s] Toxic Effect Of Venom Of Gila Monster, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.122A	[t63.122a] Toxic Effect Of Venom Of Other Venomous Lizard, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.122D	[t63.122d] Toxic Effect Of Venom Of Other Venomous Lizard, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.122S	[t63.122s] Toxic Effect Of Venom Of Other Venomous Lizard, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.192A	[t63.192a] Toxic Effect Of Venom Of Other Reptiles, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.192D	[t63.192d] Toxic Effect Of Venom Of Other Reptiles, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.192S	[t63.192s] Toxic Effect Of Venom Of Other Reptiles, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.2X2A	[t63.2x2a] Toxic Effect Of Venom Of Scorpion, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.2X2D	[t63.2x2d] Toxic Effect Of Venom Of Scorpion, Intentional Self-harm, Subsequent Encounter



## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T63.2X2S	[t63.2x2s] Toxic Effect Of Venom Of Scorpion, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.302A	[t63.302a] Toxic Effect Of Unspecified Spider Venom, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.302D	[t63.302d] Toxic Effect Of Unspecified Spider Venom, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.302S	[t63.302s] Toxic Effect Of Unspecified Spider Venom, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.312A	[t63.312a] Toxic Effect Of Venom Of Black Widow Spider, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.312D	[t63.312d] Toxic Effect Of Venom Of Black Widow Spider, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.312S	[t63.312s] Toxic Effect Of Venom Of Black Widow Spider, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.322A	[t63.322a] Toxic Effect Of Venom Of Tarantula, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.322D	[t63.322d] Toxic Effect Of Venom Of Tarantula, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.322S	[t63.322s] Toxic Effect Of Venom Of Tarantula, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.332A	[t63.332a] Toxic Effect Of Venom Of Brown Recluse Spider, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.332D	[t63.332d] Toxic Effect Of Venom Of Brown Recluse Spider, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.332S	[t63.332s] Toxic Effect Of Venom Of Brown Recluse Spider, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.392A	[t63.392a] Toxic Effect Of Venom Of Other Spider, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.392D	[t63.392d] Toxic Effect Of Venom Of Other Spider, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.392S	[t63.392s] Toxic Effect Of Venom Of Other Spider, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.412A	[t63.412a] Toxic Effect Of Venom Of Centipedes And Venomous Millipedes, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.412D	[t63.412d] Toxic Effect Of Venom Of Centipedes And Venomous Millipedes, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.412S	[t63.412s] Toxic Effect Of Venom Of Centipedes And Venomous Millipedes, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.422A	[t63.422a] Toxic Effect Of Venom Of Ants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.422D	[t63.422d] Toxic Effect Of Venom Of Ants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.422S	[t63.422s] Toxic Effect Of Venom Of Ants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.432A	[t63.432a] Toxic Effect Of Venom Of Caterpillars, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.432D	[t63.432d] Toxic Effect Of Venom Of Caterpillars, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.432S	[t63.432s] Toxic Effect Of Venom Of Caterpillars, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.442A	[t63.442a] Toxic Effect Of Venom Of Bees, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.442D	[t63.442d] Toxic Effect Of Venom Of Bees, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.442S	[t63.442s] Toxic Effect Of Venom Of Bees, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.452A	[t63.452a] Toxic Effect Of Venom Of Hornets, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.452D	[t63.452d] Toxic Effect Of Venom Of Hornets, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.452S	[t63.452s] Toxic Effect Of Venom Of Hornets, Intentional Self-harm, Sequela

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T63.462A	[t63.462a] Toxic Effect Of Venom Of Wasps, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.462D	[t63.462d] Toxic Effect Of Venom Of Wasps, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.462S	[t63.462s] Toxic Effect Of Venom Of Wasps, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.482A	[t63.482a] Toxic Effect Of Venom Of Other Arthropod, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.482D	[t63.482d] Toxic Effect Of Venom Of Other Arthropod, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.482S	[t63.482s] Toxic Effect Of Venom Of Other Arthropod, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.512A	[t63.512a] Toxic Effect Of Contact With Stingray, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.512D	[t63.512d] Toxic Effect Of Contact With Stingray, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.512S	[t63.512s] Toxic Effect Of Contact With Stingray, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.592A	[t63.592a] Toxic Effect Of Contact With Other Venomous Fish, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.592D	[t63.592d] Toxic Effect Of Contact With Other Venomous Fish, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.592S	[t63.592s] Toxic Effect Of Contact With Other Venomous Fish, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.612A	[t63.612a] Toxic Effect Of Contact With Portuguese Man-o-war, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.612D	[t63.612d] Toxic Effect Of Contact With Portuguese Man-o-war, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.612S	[t63.612s] Toxic Effect Of Contact With Portuguese Man-o-war, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.622A	[t63.622a] Toxic Effect Of Contact With Other Jellyfish, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.622D	[t63.622d] Toxic Effect Of Contact With Other Jellyfish, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.622S	[t63.622s] Toxic Effect Of Contact With Other Jellyfish, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.632A	[t63.632a] Toxic Effect Of Contact With Sea Anemone, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.632D	[t63.632d] Toxic Effect Of Contact With Sea Anemone, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.632S	[t63.632s] Toxic Effect Of Contact With Sea Anemone, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.692A	[t63.692a] Toxic Effect Of Contact With Other Venomous Marine Animals, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.692D	[t63.692d] Toxic Effect Of Contact With Other Venomous Marine Animals, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.692S	[t63.692s] Toxic Effect Of Contact With Other Venomous Marine Animals, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.712A	[t63.712a] Toxic Effect Of Contact With Venomous Marine Plant, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.712D	[t63.712d] Toxic Effect Of Contact With Venomous Marine Plant, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.712S	[t63.712s] Toxic Effect Of Contact With Venomous Marine Plant, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.792A	[t63.792a] Toxic Effect Of Contact With Other Venomous Plant, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.792D	[t63.792d] Toxic Effect Of Contact With Other Venomous Plant, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.792S	[t63.792s] Toxic Effect Of Contact With Other Venomous Plant, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.812A	[t63.812a] Toxic Effect Of Contact With Venomous Frog, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.812D	[t63.812d] Toxic Effect Of Contact With Venomous Frog, Intentional Self-harm, Subsequent Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T63.812S	[t63.812s] Toxic Effect Of Contact With Venomous Frog, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.822A	[t63.822a] Toxic Effect Of Contact With Venomous Toad, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.822D	[t63.822d] Toxic Effect Of Contact With Venomous Toad, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.822S	[t63.822s] Toxic Effect Of Contact With Venomous Toad, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.832A	[t63.832a] Toxic Effect Of Contact With Other Venomous Amphibian, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.832D	[t63.832d] Toxic Effect Of Contact With Other Venomous Amphibian, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.832S	[t63.832s] Toxic Effect Of Contact With Other Venomous Amphibian, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.892A	[t63.892a] Toxic Effect Of Contact With Other Venomous Animals, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.892D	[t63.892d] Toxic Effect Of Contact With Other Venomous Animals, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.892S	[t63.892s] Toxic Effect Of Contact With Other Venomous Animals, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T63.92XA	[t63.92xa] Toxic Effect Of Contact With Unspecified Venomous Animal, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T63.92XD	[t63.92xd] Toxic Effect Of Contact With Unspecified Venomous Animal, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T63.92XS	[t63.92xs] Toxic Effect Of Contact With Unspecified Venomous Animal, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T64.02XA	[t64.02xa] Toxic Effect Of Aflatoxin, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T64.02XD	[t64.02xd] Toxic Effect Of Aflatoxin, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T64.02XS	[t64.02xs] Toxic Effect Of Aflatoxin, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T64.82XA	[t64.82xa] Toxic Effect Of Other Mycotoxin Food Contaminants, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T64.82XD	[t64.82xd] Toxic Effect Of Other Mycotoxin Food Contaminants, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T64.82XS	[t64.82xs] Toxic Effect Of Other Mycotoxin Food Contaminants, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.0X2A	[t65.0x2a] Toxic Effect Of Cyanides, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.0X2D	[t65.0x2d] Toxic Effect Of Cyanides, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.0X2S	[t65.0x2s] Toxic Effect Of Cyanides, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.1X2A	[t65.1x2a] Toxic Effect Of Strychnine And Its Salts, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.1X2D	[t65.1x2d] Toxic Effect Of Strychnine And Its Salts, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.1X2S	[t65.1x2s] Toxic Effect Of Strychnine And Its Salts, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.212A	[t65.212a] Toxic Effect Of Chewing Tobacco, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.212D	[t65.212d] Toxic Effect Of Chewing Tobacco, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.212S	[t65.212s] Toxic Effect Of Chewing Tobacco, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.222A	[t65.222a] Toxic Effect Of Tobacco Cigarettes, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.222D	[t65.222d] Toxic Effect Of Tobacco Cigarettes, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.222S	[t65.222s] Toxic Effect Of Tobacco Cigarettes, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.292A	[t65.292a] Toxic Effect Of Other Tobacco And Nicotine, Intentional Self-harm, Initial Encounter

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T65.292D	[t65.292d] Toxic Effect Of Other Tobacco And Nicotine, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.292S	[t65.292s] Toxic Effect Of Other Tobacco And Nicotine, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.3X2A	[t65.3x2a] Toxic Effect Of Nitroderivatives And Aminoderivatives Of Benzene And Its Homologues, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.3X2D	[t65.3x2d] Toxic Effect Of Nitroderivatives And Aminoderivatives Of Benzene And Its Homologues, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.3X2S	[t65.3x2s] Toxic Effect Of Nitroderivatives And Aminoderivatives Of Benzene And Its Homologues, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.4X2A	[t65.4x2a] Toxic Effect Of Carbon Disulfide, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.4X2D	[t65.4x2d] Toxic Effect Of Carbon Disulfide, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.4X2S	[t65.4x2s] Toxic Effect Of Carbon Disulfide, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.5X2A	[t65.5x2a] Toxic Effect Of Nitroglycerin And Other Nitric Acids And Esters, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.5X2D	[t65.5x2d] Toxic Effect Of Nitroglycerin And Other Nitric Acids And Esters, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.5X2S	[t65.5x2s] Toxic Effect Of Nitroglycerin And Other Nitric Acids And Esters, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.6X2A	[t65.6x2a] Toxic Effect Of Paints And Dyes, Not Elsewhere Classified, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.6X2D	[t65.6x2d] Toxic Effect Of Paints And Dyes, Not Elsewhere Classified, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.6X2S	[t65.6x2s] Toxic Effect Of Paints And Dyes, Not Elsewhere Classified, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.812A	[t65.812a] Toxic Effect Of Latex, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.812D	[t65.812d] Toxic Effect Of Latex, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.812S	[t65.812s] Toxic Effect Of Latex, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.822A	[t65.822a] Toxic Effect Of Harmful Algae And Algae Toxins, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.822D	[t65.822d] Toxic Effect Of Harmful Algae And Algae Toxins, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.822S	[t65.822s] Toxic Effect Of Harmful Algae And Algae Toxins, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.832A	[t65.832a] Toxic Effect Of Fiberglass, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.832D	[t65.832d] Toxic Effect Of Fiberglass, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.832S	[t65.832s] Toxic Effect Of Fiberglass, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.892A	[t65.892a] Toxic Effect Of Other Specified Substances, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.892D	[t65.892d] Toxic Effect Of Other Specified Substances, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.892S	[t65.892s] Toxic Effect Of Other Specified Substances, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T65.92XA	[t65.92xa] Toxic Effect Of Unspecified Substance, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T65.92XD	[t65.92xd] Toxic Effect Of Unspecified Substance, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T65.92XS	[t65.92xs] Toxic Effect Of Unspecified Substance, Intentional Self-harm, Sequela

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Intentional Self-Harm	ICD10CM	T71.112A	[t71.112a] Asphyxiation Due To Smothering Under Pillow, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T71.112D	[t71.112d] Asphyxiation Due To Smothering Under Pillow, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T71.112S	[t71.112s] Asphyxiation Due To Smothering Under Pillow, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T71.122A	[t71.122a] Asphyxiation Due To Plastic Bag, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T71.122D	[t71.122d] Asphyxiation Due To Plastic Bag, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T71.122S	[t71.122s] Asphyxiation Due To Plastic Bag, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T71.132A	[t71.132a] Asphyxiation Due To Being Trapped In Bed Linens, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T71.132D	[t71.132d] Asphyxiation Due To Being Trapped In Bed Linens, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T71.132S	[t71.132s] Asphyxiation Due To Being Trapped In Bed Linens, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T71.152A	[t71.152a] Asphyxiation Due To Smothering In Furniture, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T71.152D	[t71.152d] Asphyxiation Due To Smothering In Furniture, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T71.152S	[t71.152s] Asphyxiation Due To Smothering In Furniture, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T71.162A	[t71.162a] Asphyxiation Due To Hanging, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T71.162D	[t71.162d] Asphyxiation Due To Hanging, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T71.162S	[t71.162s] Asphyxiation Due To Hanging, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T71.192A	[t71.192a] Asphyxiation Due To Mechanical Threat To Breathing Due To Other Causes, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T71.192D	[t71.192d] Asphyxiation Due To Mechanical Threat To Breathing Due To Other Causes, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T71.192S	[t71.192s] Asphyxiation Due To Mechanical Threat To Breathing Due To Other Causes, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T71.222A	[t71.222a] Asphyxiation Due To Being Trapped In A Car Trunk, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T71.222D	[t71.222d] Asphyxiation Due To Being Trapped In A Car Trunk, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T71.222S	[t71.222s] Asphyxiation Due To Being Trapped In A Car Trunk, Intentional Self-harm, Sequela
Intentional Self-Harm	ICD10CM	T71.232A	[t71.232a] Asphyxiation Due To Being Trapped In A (discarded) Refrigerator, Intentional Self-harm, Initial Encounter
Intentional Self-Harm	ICD10CM	T71.232D	[t71.232d] Asphyxiation Due To Being Trapped In A (discarded) Refrigerator, Intentional Self-harm, Subsequent Encounter
Intentional Self-Harm	ICD10CM	T71.232S	[t71.232s] Asphyxiation Due To Being Trapped In A (discarded) Refrigerator, Intentional Self-harm, Sequela
Mental Health Diagnosis	ICD10CM	F03.90	[f03.90] Unspecified Dementia, Unspecified Severity, Without Behavioral Disturbance, Psychotic Disturbance, Mood Disturbance, And Anxiety
Mental Health Diagnosis	ICD10CM	F03.91	[f03.91] Unspecified Dementia, Unspecified Severity, With Behavioral Disturbance
Mental Health Diagnosis	ICD10CM	F03.911	[f03.911] Unspecified Dementia, Unspecified Severity, With Agitation
Mental Health Diagnosis	ICD10CM	F03.918	[f03.918] Unspecified Dementia, Unspecified Severity, With Other Behavioral Disturbance



## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F03.92	[f03.92] Unspecified Dementia, Unspecified Severity, With Psychotic Disturbance
Mental Health Diagnosis	ICD10CM	F03.93	[f03.93] Unspecified Dementia, Unspecified Severity, With Mood Disturbance
Mental Health Diagnosis	ICD10CM	F03.94	[f03.94] Unspecified Dementia, Unspecified Severity, With Anxiety
Mental Health Diagnosis	ICD10CM	F03.A0	[f03.a0] Unspecified Dementia, Mild, Without Behavioral Disturbance, Psychotic Disturbance, Mood Disturbance, And Anxiety
Mental Health Diagnosis	ICD10CM	F03.A11	[f03.a11] Unspecified Dementia, Mild, With Agitation
Mental Health Diagnosis	ICD10CM	F03.A18	[f03.a18] Unspecified Dementia, Mild, With Other Behavioral Disturbance
Mental Health Diagnosis	ICD10CM	F03.A2	[f03.a2] Unspecified Dementia, Mild, With Psychotic Disturbance
Mental Health Diagnosis	ICD10CM	F03.A3	[f03.a3] Unspecified Dementia, Mild, With Mood Disturbance
Mental Health Diagnosis	ICD10CM	F03.A4	[f03.a4] Unspecified Dementia, Mild, With Anxiety
Mental Health Diagnosis	ICD10CM	F03.B0	[f03.b0] Unspecified Dementia, Moderate, Without Behavioral Disturbance, Psychotic Disturbance, Mood Disturbance, And Anxiety
Mental Health Diagnosis	ICD10CM	F03.B11	[f03.b11] Unspecified Dementia, Moderate, With Agitation
Mental Health Diagnosis	ICD10CM	F03.B18	[f03.b18] Unspecified Dementia, Moderate, With Other Behavioral Disturbance
Mental Health Diagnosis	ICD10CM	F03.B2	[f03.b2] Unspecified Dementia, Moderate, With Psychotic Disturbance
Mental Health Diagnosis	ICD10CM	F03.B3	[f03.b3] Unspecified Dementia, Moderate, With Mood Disturbance
Mental Health Diagnosis	ICD10CM	F03.B4	[f03.b4] Unspecified Dementia, Moderate, With Anxiety
Mental Health Diagnosis	ICD10CM	F03.C0	[f03.c0] Unspecified Dementia, Severe, Without Behavioral Disturbance, Psychotic Disturbance, Mood Disturbance, And Anxiety
Mental Health Diagnosis	ICD10CM	F03.C11	[f03.c11] Unspecified Dementia, Severe, With Agitation
Mental Health Diagnosis	ICD10CM	F03.C18	[f03.c18] Unspecified Dementia, Severe, With Other Behavioral Disturbance
Mental Health Diagnosis	ICD10CM	F03.C2	[f03.c2] Unspecified Dementia, Severe, With Psychotic Disturbance
Mental Health Diagnosis	ICD10CM	F03.C3	[f03.c3] Unspecified Dementia, Severe, With Mood Disturbance
Mental Health Diagnosis	ICD10CM	F03.C4	[f03.c4] Unspecified Dementia, Severe, With Anxiety
Mental Health Diagnosis	ICD10CM	F20.0	[f20.0] Paranoid Schizophrenia
Mental Health Diagnosis	ICD10CM	F20.1	[f20.1] Disorganized Schizophrenia
Mental Health Diagnosis	ICD10CM	F20.2	[f20.2] Catatonic Schizophrenia
Mental Health Diagnosis	ICD10CM	F20.3	[f20.3] Undifferentiated Schizophrenia
Mental Health Diagnosis	ICD10CM	F20.5	[f20.5] Residual Schizophrenia
Mental Health Diagnosis	ICD10CM	F20.81	[f20.81] Schizophreniform Disorder
Mental Health Diagnosis	ICD10CM	F20.89	[f20.89] Other Schizophrenia
Mental Health Diagnosis	ICD10CM	F20.9	[f20.9] Schizophrenia, Unspecified

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F21	[f21] Schizotypal Disorder
Mental Health Diagnosis	ICD10CM	F22	[f22] Delusional Disorders
Mental Health Diagnosis	ICD10CM	F23	[f23] Brief Psychotic Disorder
Mental Health Diagnosis	ICD10CM	F24	[f24] Shared Psychotic Disorder
Mental Health Diagnosis	ICD10CM	F25.0	[f25.0] Schizoaffective Disorder, Bipolar Type
Mental Health Diagnosis	ICD10CM	F25.1	[f25.1] Schizoaffective Disorder, Depressive Type
Mental Health Diagnosis	ICD10CM	F25.8	[f25.8] Other Schizoaffective Disorders
Mental Health Diagnosis	ICD10CM	F25.9	[f25.9] Schizoaffective Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F28	[f28] Other Psychotic Disorder Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F29	[f29] Unspecified Psychosis Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F30.10	[f30.10] Manic Episode Without Psychotic Symptoms, Unspecified
Mental Health Diagnosis	ICD10CM	F30.11	[f30.11] Manic Episode Without Psychotic Symptoms, Mild
Mental Health Diagnosis	ICD10CM	F30.12	[f30.12] Manic Episode Without Psychotic Symptoms, Moderate
Mental Health Diagnosis	ICD10CM	F30.13	[f30.13] Manic Episode, Severe, Without Psychotic Symptoms
Mental Health Diagnosis	ICD10CM	F30.2	[f30.2] Manic Episode, Severe With Psychotic Symptoms
Mental Health Diagnosis	ICD10CM	F30.3	[f30.3] Manic Episode In Partial Remission
Mental Health Diagnosis	ICD10CM	F30.4	[f30.4] Manic Episode In Full Remission
Mental Health Diagnosis	ICD10CM	F30.8	[f30.8] Other Manic Episodes
Mental Health Diagnosis	ICD10CM	F30.9	[f30.9] Manic Episode, Unspecified
Mental Health Diagnosis	ICD10CM	F31.0	[f31.0] Bipolar Disorder, Current Episode Hypomanic
Mental Health Diagnosis	ICD10CM	F31.10	[f31.10] Bipolar Disorder, Current Episode Manic Without Psychotic Features, Unspecified
Mental Health Diagnosis	ICD10CM	F31.11	[f31.11] Bipolar Disorder, Current Episode Manic Without Psychotic Features, Mild
Mental Health Diagnosis	ICD10CM	F31.12	[f31.12] Bipolar Disorder, Current Episode Manic Without Psychotic Features, Moderate
Mental Health Diagnosis	ICD10CM	F31.13	[f31.13] Bipolar Disorder, Current Episode Manic Without Psychotic Features, Severe
Mental Health Diagnosis	ICD10CM	F31.2	[f31.2] Bipolar Disorder, Current Episode Manic Severe With Psychotic Features
Mental Health Diagnosis	ICD10CM	F31.30	[f31.30] Bipolar Disorder, Current Episode Depressed, Mild Or Moderate Severity, Unspecified
Mental Health Diagnosis	ICD10CM	F31.31	[f31.31] Bipolar Disorder, Current Episode Depressed, Mild
Mental Health Diagnosis	ICD10CM	F31.32	[f31.32] Bipolar Disorder, Current Episode Depressed, Moderate
Mental Health Diagnosis	ICD10CM	F31.4	[f31.4] Bipolar Disorder, Current Episode Depressed, Severe, Without Psychotic Features
Mental Health Diagnosis	ICD10CM	F31.5	[f31.5] Bipolar Disorder, Current Episode Depressed, Severe, With Psychotic Features
Mental Health Diagnosis	ICD10CM	F31.60	[f31.60] Bipolar Disorder, Current Episode Mixed, Unspecified
Mental Health Diagnosis	ICD10CM	F31.61	[f31.61] Bipolar Disorder, Current Episode Mixed, Mild

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F31.62	[f31.62] Bipolar Disorder, Current Episode Mixed, Moderate
Mental Health Diagnosis	ICD10CM	F31.63	[f31.63] Bipolar Disorder, Current Episode Mixed, Severe, Without Psychotic Features
Mental Health Diagnosis	ICD10CM	F31.64	[f31.64] Bipolar Disorder, Current Episode Mixed, Severe, With Psychotic Features
Mental Health Diagnosis	ICD10CM	F31.70	[f31.70] Bipolar Disorder, Currently In Remission, Most Recent Episode Unspecified
Mental Health Diagnosis	ICD10CM	F31.71	[f31.71] Bipolar Disorder, In Partial Remission, Most Recent Episode Hypomanic
Mental Health Diagnosis	ICD10CM	F31.72	[f31.72] Bipolar Disorder, In Full Remission, Most Recent Episode Hypomanic
Mental Health Diagnosis	ICD10CM	F31.73	[f31.73] Bipolar Disorder, In Partial Remission, Most Recent Episode Manic
Mental Health Diagnosis	ICD10CM	F31.74	[f31.74] Bipolar Disorder, In Full Remission, Most Recent Episode Manic
Mental Health Diagnosis	ICD10CM	F31.75	[f31.75] Bipolar Disorder, In Partial Remission, Most Recent Episode Depressed
Mental Health Diagnosis	ICD10CM	F31.76	[f31.76] Bipolar Disorder, In Full Remission, Most Recent Episode Depressed
Mental Health Diagnosis	ICD10CM	F31.77	[f31.77] Bipolar Disorder, In Partial Remission, Most Recent Episode Mixed
Mental Health Diagnosis	ICD10CM	F31.78	[f31.78] Bipolar Disorder, In Full Remission, Most Recent Episode Mixed
Mental Health Diagnosis	ICD10CM	F31.81	[f31.81] Bipolar li Disorder
Mental Health Diagnosis	ICD10CM	F31.89	[f31.89] Other Bipolar Disorder
Mental Health Diagnosis	ICD10CM	F31.9	[f31.9] Bipolar Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F32.0	[f32.0] Major Depressive Disorder, Single Episode, Mild
Mental Health Diagnosis	ICD10CM	F32.1	[f32.1] Major Depressive Disorder, Single Episode, Moderate
Mental Health Diagnosis	ICD10CM	F32.2	[f32.2] Major Depressive Disorder, Single Episode, Severe Without Psychotic Features
Mental Health Diagnosis	ICD10CM	F32.3	[f32.3] Major Depressive Disorder, Single Episode, Severe With Psychotic Features
Mental Health Diagnosis	ICD10CM	F32.4	[f32.4] Major Depressive Disorder, Single Episode, In Partial Remission
Mental Health Diagnosis	ICD10CM	F32.5	[f32.5] Major Depressive Disorder, Single Episode, In Full Remission
Mental Health Diagnosis	ICD10CM	F32.81	[f32.81] Premenstrual Dysphoric Disorder
Mental Health Diagnosis	ICD10CM	F32.89	[f32.89] Other Specified Depressive Episodes
Mental Health Diagnosis	ICD10CM	F32.9	[f32.9] Major Depressive Disorder, Single Episode, Unspecified
Mental Health Diagnosis	ICD10CM	F32.A	[f32.a] Depression, Unspecified
Mental Health Diagnosis	ICD10CM	F33.0	[f33.0] Major Depressive Disorder, Recurrent, Mild
Mental Health Diagnosis	ICD10CM	F33.1	[f33.1] Major Depressive Disorder, Recurrent, Moderate
Mental Health Diagnosis	ICD10CM	F33.2	[f33.2] Major Depressive Disorder, Recurrent Severe Without Psychotic Features
Mental Health Diagnosis	ICD10CM	F33.3	[f33.3] Major Depressive Disorder, Recurrent, Severe With Psychotic Symptoms
Mental Health Diagnosis	ICD10CM	F33.40	[f33.40] Major Depressive Disorder, Recurrent, In Remission, Unspecified
Mental Health Diagnosis	ICD10CM	F33.41	[f33.41] Major Depressive Disorder, Recurrent, In Partial Remission
Mental Health Diagnosis	ICD10CM	F33.42	[f33.42] Major Depressive Disorder, Recurrent, In Full Remission

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F33.8	[f33.8] Other Recurrent Depressive Disorders
Mental Health Diagnosis	ICD10CM	F33.9	[f33.9] Major Depressive Disorder, Recurrent, Unspecified
Mental Health Diagnosis	ICD10CM	F34.0	[f34.0] Cyclothymic Disorder
Mental Health Diagnosis	ICD10CM	F34.1	[f34.1] Dysthymic Disorder
Mental Health Diagnosis	ICD10CM	F34.81	[f34.81] Disruptive Mood Dysregulation Disorder
Mental Health Diagnosis	ICD10CM	F34.89	[f34.89] Other Specified Persistent Mood Disorders
Mental Health Diagnosis	ICD10CM	F34.9	[f34.9] Persistent Mood [affective] Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F39	[f39] Unspecified Mood [affective] Disorder
Mental Health Diagnosis	ICD10CM	F40.00	[f40.00] Agoraphobia, Unspecified
Mental Health Diagnosis	ICD10CM	F40.01	[f40.01] Agoraphobia With Panic Disorder
Mental Health Diagnosis	ICD10CM	F40.02	[f40.02] Agoraphobia Without Panic Disorder
Mental Health Diagnosis	ICD10CM	F40.10	[f40.10] Social Phobia, Unspecified
Mental Health Diagnosis	ICD10CM	F40.11	[f40.11] Social Phobia, Generalized
Mental Health Diagnosis	ICD10CM	F40.210	[f40.210] Arachnophobia
Mental Health Diagnosis	ICD10CM	F40.218	[f40.218] Other Animal Type Phobia
Mental Health Diagnosis	ICD10CM	F40.220	[f40.220] Fear Of Thunderstorms
Mental Health Diagnosis	ICD10CM	F40.228	[f40.228] Other Natural Environment Type Phobia
Mental Health Diagnosis	ICD10CM	F40.230	[f40.230] Fear Of Blood
Mental Health Diagnosis	ICD10CM	F40.231	[f40.231] Fear Of Injections And Transfusions
Mental Health Diagnosis	ICD10CM	F40.232	[f40.232] Fear Of Other Medical Care
Mental Health Diagnosis	ICD10CM	F40.233	[f40.233] Fear Of Injury
Mental Health Diagnosis	ICD10CM	F40.240	[f40.240] Claustrophobia
Mental Health Diagnosis	ICD10CM	F40.241	[f40.241] Acrophobia
Mental Health Diagnosis	ICD10CM	F40.242	[f40.242] Fear Of Bridges
Mental Health Diagnosis	ICD10CM	F40.243	[f40.243] Fear Of Flying
Mental Health Diagnosis	ICD10CM	F40.248	[f40.248] Other Situational Type Phobia
Mental Health Diagnosis	ICD10CM	F40.290	[f40.290] Androphobia
Mental Health Diagnosis	ICD10CM	F40.291	[f40.291] Gynephobia
Mental Health Diagnosis	ICD10CM	F40.298	[f40.298] Other Specified Phobia
Mental Health Diagnosis	ICD10CM	F40.8	[f40.8] Other Phobic Anxiety Disorders
Mental Health Diagnosis	ICD10CM	F40.9	[f40.9] Phobic Anxiety Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F41.0	[f41.0] Panic Disorder [episodic Paroxysmal Anxiety]

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F41.1	[f41.1] Generalized Anxiety Disorder
Mental Health Diagnosis	ICD10CM	F41.3	[f41.3] Other Mixed Anxiety Disorders
Mental Health Diagnosis	ICD10CM	F41.8	[f41.8] Other Specified Anxiety Disorders
Mental Health Diagnosis	ICD10CM	F41.9	[f41.9] Anxiety Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F42.2	[f42.2] Mixed Obsessional Thoughts And Acts
Mental Health Diagnosis	ICD10CM	F42.3	[f42.3] Hoarding Disorder
Mental Health Diagnosis	ICD10CM	F42.4	[f42.4] Excoriation (skin-picking) Disorder
Mental Health Diagnosis	ICD10CM	F42.8	[f42.8] Other Obsessive-compulsive Disorder
Mental Health Diagnosis	ICD10CM	F42.9	[f42.9] Obsessive-compulsive Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F43.0	[f43.0] Acute Stress Reaction
Mental Health Diagnosis	ICD10CM	F43.10	[f43.10] Post-traumatic Stress Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F43.11	[f43.11] Post-traumatic Stress Disorder, Acute
Mental Health Diagnosis	ICD10CM	F43.12	[f43.12] Post-traumatic Stress Disorder, Chronic
Mental Health Diagnosis	ICD10CM	F43.20	[f43.20] Adjustment Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F43.21	[f43.21] Adjustment Disorder With Depressed Mood
Mental Health Diagnosis	ICD10CM	F43.22	[f43.22] Adjustment Disorder With Anxiety
Mental Health Diagnosis	ICD10CM	F43.23	[f43.23] Adjustment Disorder With Mixed Anxiety And Depressed Mood
Mental Health Diagnosis	ICD10CM	F43.24	[f43.24] Adjustment Disorder With Disturbance Of Conduct
Mental Health Diagnosis	ICD10CM	F43.25	[f43.25] Adjustment Disorder With Mixed Disturbance Of Emotions And Conduct
Mental Health Diagnosis	ICD10CM	F43.29	[f43.29] Adjustment Disorder With Other Symptoms
Mental Health Diagnosis	ICD10CM	F43.8	[f43.8] Other Reactions To Severe Stress
Mental Health Diagnosis	ICD10CM	F43.81	[f43.81] Prolonged Grief Disorder
Mental Health Diagnosis	ICD10CM	F43.89	[f43.89] Other Reactions To Severe Stress
Mental Health Diagnosis	ICD10CM	F43.9	[f43.9] Reaction To Severe Stress, Unspecified
Mental Health Diagnosis	ICD10CM	F44.0	[f44.0] Dissociative Amnesia
Mental Health Diagnosis	ICD10CM	F44.1	[f44.1] Dissociative Fugue
Mental Health Diagnosis	ICD10CM	F44.2	[f44.2] Dissociative Stupor
Mental Health Diagnosis	ICD10CM	F44.4	[f44.4] Conversion Disorder With Motor Symptom Or Deficit
Mental Health Diagnosis	ICD10CM	F44.5	[f44.5] Conversion Disorder With Seizures Or Convulsions
Mental Health Diagnosis	ICD10CM	F44.6	[f44.6] Conversion Disorder With Sensory Symptom Or Deficit
Mental Health Diagnosis	ICD10CM	F44.7	[f44.7] Conversion Disorder With Mixed Symptom Presentation
Mental Health Diagnosis	ICD10CM	F44.81	[f44.81] Dissociative Identity Disorder



## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F44.89	[f44.89] Other Dissociative And Conversion Disorders
Mental Health Diagnosis	ICD10CM	F44.9	[f44.9] Dissociative And Conversion Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F45.0	[f45.0] Somatization Disorder
Mental Health Diagnosis	ICD10CM	F45.1	[f45.1] Undifferentiated Somatoform Disorder
Mental Health Diagnosis	ICD10CM	F45.20	[f45.20] Hypochondriacal Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F45.21	[f45.21] Hypochondriasis
Mental Health Diagnosis	ICD10CM	F45.22	[f45.22] Body Dysmorphic Disorder
Mental Health Diagnosis	ICD10CM	F45.29	[f45.29] Other Hypochondriacal Disorders
Mental Health Diagnosis	ICD10CM	F45.41	[f45.41] Pain Disorder Exclusively Related To Psychological Factors
Mental Health Diagnosis	ICD10CM	F45.42	[f45.42] Pain Disorder With Related Psychological Factors
Mental Health Diagnosis	ICD10CM	F45.8	[f45.8] Other Somatoform Disorders
Mental Health Diagnosis	ICD10CM	F45.9	[f45.9] Somatoform Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F48.1	[f48.1] Depersonalization-derealization Syndrome
Mental Health Diagnosis	ICD10CM	F48.2	[f48.2] Pseudobulbar Affect
Mental Health Diagnosis	ICD10CM	F48.8	[f48.8] Other Specified Nonpsychotic Mental Disorders
Mental Health Diagnosis	ICD10CM	F48.9	[f48.9] Nonpsychotic Mental Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F50.00	[f50.00] Anorexia Nervosa, Unspecified
Mental Health Diagnosis	ICD10CM	F50.01	[f50.01] Anorexia Nervosa, Restricting Type
Mental Health Diagnosis	ICD10CM	F50.02	[f50.02] Anorexia Nervosa, Binge Eating/purging Type
Mental Health Diagnosis	ICD10CM	F50.2	[f50.2] Bulimia Nervosa
Mental Health Diagnosis	ICD10CM	F50.81	[f50.81] Binge Eating Disorder
Mental Health Diagnosis	ICD10CM	F50.82	[f50.82] Avoidant/restrictive Food Intake Disorder
Mental Health Diagnosis	ICD10CM	F50.89	[f50.89] Other Specified Eating Disorder
Mental Health Diagnosis	ICD10CM	F50.9	[f50.9] Eating Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F51.01	[f51.01] Primary Insomnia
Mental Health Diagnosis	ICD10CM	F51.02	[f51.02] Adjustment Insomnia
Mental Health Diagnosis	ICD10CM	F51.03	[f51.03] Paradoxical Insomnia
Mental Health Diagnosis	ICD10CM	F51.04	[f51.04] Psychophysilogic Insomnia
Mental Health Diagnosis	ICD10CM	F51.05	[f51.05] Insomnia Due To Other Mental Disorder
Mental Health Diagnosis	ICD10CM	F51.09	[f51.09] Other Insomnia Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F51.11	[f51.11] Primary Hypersomnia
Mental Health Diagnosis	ICD10CM	F51.12	[f51.12] Insufficient Sleep Syndrome

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F51.13	[f51.13] Hypersomnia Due To Other Mental Disorder
Mental Health Diagnosis	ICD10CM	F51.19	[f51.19] Other Hypersomnia Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F51.3	[f51.3] Sleepwalking [somnambulism]
Mental Health Diagnosis	ICD10CM	F51.4	[f51.4] Sleep Terrors [night Terrors]
Mental Health Diagnosis	ICD10CM	F51.5	[f51.5] Nightmare Disorder
Mental Health Diagnosis	ICD10CM	F51.8	[f51.8] Other Sleep Disorders Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F51.9	[f51.9] Sleep Disorder Not Due To A Substance Or Known Physiological Condition, Unspecified
Mental Health Diagnosis	ICD10CM	F52.0	[f52.0] Hypoactive Sexual Desire Disorder
Mental Health Diagnosis	ICD10CM	F52.1	[f52.1] Sexual Aversion Disorder
Mental Health Diagnosis	ICD10CM	F52.21	[f52.21] Male Erectile Disorder
Mental Health Diagnosis	ICD10CM	F52.22	[f52.22] Female Sexual Arousal Disorder
Mental Health Diagnosis	ICD10CM	F52.31	[f52.31] Female Orgasmic Disorder
Mental Health Diagnosis	ICD10CM	F52.32	[f52.32] Male Orgasmic Disorder
Mental Health Diagnosis	ICD10CM	F52.4	[f52.4] Premature Ejaculation
Mental Health Diagnosis	ICD10CM	F52.5	[f52.5] Vaginismus Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F52.6	[f52.6] Dyspareunia Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F52.8	[f52.8] Other Sexual Dysfunction Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F52.9	[f52.9] Unspecified Sexual Dysfunction Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F53.0	[f53.0] Postpartum Depression
Mental Health Diagnosis	ICD10CM	F53.1	[f53.1] Puerperal Psychosis
Mental Health Diagnosis	ICD10CM	F59	[f59] Unspecified Behavioral Syndromes Associated With Physiological Disturbances And Physical Factors
Mental Health Diagnosis	ICD10CM	F60.0	[f60.0] Paranoid Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.1	[f60.1] Schizoid Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.2	[f60.2] Antisocial Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.3	[f60.3] Borderline Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.4	[f60.4] Histrionic Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.5	[f60.5] Obsessive-compulsive Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.6	[f60.6] Avoidant Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.7	[f60.7] Dependent Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.81	[f60.81] Narcissistic Personality Disorder
Mental Health Diagnosis	ICD10CM	F60.89	[f60.89] Other Specific Personality Disorders
Mental Health Diagnosis	ICD10CM	F60.9	[f60.9] Personality Disorder, Unspecified

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F63.0	[f63.0] Pathological Gambling
Mental Health Diagnosis	ICD10CM	F63.1	[f63.1] Pyromania
Mental Health Diagnosis	ICD10CM	F63.2	[f63.2] Kleptomania
Mental Health Diagnosis	ICD10CM	F63.3	[f63.3] Trichotillomania
Mental Health Diagnosis	ICD10CM	F63.81	[f63.81] Intermittent Explosive Disorder
Mental Health Diagnosis	ICD10CM	F63.89	[f63.89] Other Impulse Disorders
Mental Health Diagnosis	ICD10CM	F63.9	[f63.9] Impulse Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F64.0	[f64.0] Transsexualism
Mental Health Diagnosis	ICD10CM	F64.1	[f64.1] Dual Role Transvestism
Mental Health Diagnosis	ICD10CM	F64.2	[f64.2] Gender Identity Disorder Of Childhood
Mental Health Diagnosis	ICD10CM	F64.8	[f64.8] Other Gender Identity Disorders
Mental Health Diagnosis	ICD10CM	F64.9	[f64.9] Gender Identity Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F65.0	[f65.0] Fetishism
Mental Health Diagnosis	ICD10CM	F65.1	[f65.1] Transvestic Fetishism
Mental Health Diagnosis	ICD10CM	F65.2	[f65.2] Exhibitionism
Mental Health Diagnosis	ICD10CM	F65.3	[f65.3] Voyeurism
Mental Health Diagnosis	ICD10CM	F65.4	[f65.4] Pedophilia
Mental Health Diagnosis	ICD10CM	F65.50	[f65.50] Sadomasochism, Unspecified
Mental Health Diagnosis	ICD10CM	F65.51	[f65.51] Sexual Masochism
Mental Health Diagnosis	ICD10CM	F65.52	[f65.52] Sexual Sadism
Mental Health Diagnosis	ICD10CM	F65.81	[f65.81] Frotteurism
Mental Health Diagnosis	ICD10CM	F65.89	[f65.89] Other Paraphilias
Mental Health Diagnosis	ICD10CM	F65.9	[f65.9] Paraphilia, Unspecified
Mental Health Diagnosis	ICD10CM	F66	[f66] Other Sexual Disorders
Mental Health Diagnosis	ICD10CM	F68.10	[f68.10] Factitious Disorder Imposed On Self, Unspecified
Mental Health Diagnosis	ICD10CM	F68.11	[f68.11] Factitious Disorder Imposed On Self, With Predominantly Psychological Signs And Symptoms
Mental Health Diagnosis	ICD10CM	F68.12	[f68.12] Factitious Disorder Imposed On Self, With Predominantly Physical Signs And Symptoms
Mental Health Diagnosis	ICD10CM	F68.13	[f68.13] Factitious Disorder Imposed On Self, With Combined Psychological And Physical Signs And Symptoms
Mental Health Diagnosis	ICD10CM	F68.8	[f68.8] Other Specified Disorders Of Adult Personality And Behavior
Mental Health Diagnosis	ICD10CM	F68.A	[f68.a] Factitious Disorder Imposed On Another
Mental Health Diagnosis	ICD10CM	F69	[f69] Unspecified Disorder Of Adult Personality And Behavior
Mental Health Diagnosis	ICD10CM	F80.0	[f80.0] Phonological Disorder

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F80.1	[f80.1] Expressive Language Disorder
Mental Health Diagnosis	ICD10CM	F80.2	[f80.2] Mixed Receptive-expressive Language Disorder
Mental Health Diagnosis	ICD10CM	F80.4	[f80.4] Speech And Language Development Delay Due To Hearing Loss
Mental Health Diagnosis	ICD10CM	F80.81	[f80.81] Childhood Onset Fluency Disorder
Mental Health Diagnosis	ICD10CM	F80.82	[f80.82] Social Pragmatic Communication Disorder
Mental Health Diagnosis	ICD10CM	F80.89	[f80.89] Other Developmental Disorders Of Speech And Language
Mental Health Diagnosis	ICD10CM	F80.9	[f80.9] Developmental Disorder Of Speech And Language, Unspecified
Mental Health Diagnosis	ICD10CM	F81.0	[f81.0] Specific Reading Disorder
Mental Health Diagnosis	ICD10CM	F81.2	[f81.2] Mathematics Disorder
Mental Health Diagnosis	ICD10CM	F81.81	[f81.81] Disorder Of Written Expression
Mental Health Diagnosis	ICD10CM	F81.89	[f81.89] Other Developmental Disorders Of Scholastic Skills
Mental Health Diagnosis	ICD10CM	F81.9	[f81.9] Developmental Disorder Of Scholastic Skills, Unspecified
Mental Health Diagnosis	ICD10CM	F82	[f82] Specific Developmental Disorder Of Motor Function
Mental Health Diagnosis	ICD10CM	F84.0	[f84.0] Autistic Disorder
Mental Health Diagnosis	ICD10CM	F84.2	[f84.2] Rett's Syndrome
Mental Health Diagnosis	ICD10CM	F84.3	[f84.3] Other Childhood Disintegrative Disorder
Mental Health Diagnosis	ICD10CM	F84.5	[f84.5] Asperger's Syndrome
Mental Health Diagnosis	ICD10CM	F84.8	[f84.8] Other Pervasive Developmental Disorders
Mental Health Diagnosis	ICD10CM	F84.9	[f84.9] Pervasive Developmental Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F88	[f88] Other Disorders Of Psychological Development
Mental Health Diagnosis	ICD10CM	F89	[f89] Unspecified Disorder Of Psychological Development
Mental Health Diagnosis	ICD10CM	F90.0	[f90.0] Attention-deficit Hyperactivity Disorder, Predominantly Inattentive Type
Mental Health Diagnosis	ICD10CM	F90.1	[f90.1] Attention-deficit Hyperactivity Disorder, Predominantly Hyperactive Type
Mental Health Diagnosis	ICD10CM	F90.2	[f90.2] Attention-deficit Hyperactivity Disorder, Combined Type
Mental Health Diagnosis	ICD10CM	F90.8	[f90.8] Attention-deficit Hyperactivity Disorder, Other Type
Mental Health Diagnosis	ICD10CM	F90.9	[f90.9] Attention-deficit Hyperactivity Disorder, Unspecified Type
Mental Health Diagnosis	ICD10CM	F91.0	[f91.0] Conduct Disorder Confined To Family Context
Mental Health Diagnosis	ICD10CM	F91.1	[f91.1] Conduct Disorder, Childhood-onset Type
Mental Health Diagnosis	ICD10CM	F91.2	[f91.2] Conduct Disorder, Adolescent-onset Type
Mental Health Diagnosis	ICD10CM	F91.3	[f91.3] Oppositional Defiant Disorder
Mental Health Diagnosis	ICD10CM	F91.8	[f91.8] Other Conduct Disorders
Mental Health Diagnosis	ICD10CM	F91.9	[f91.9] Conduct Disorder, Unspecified

## Mental Health Disorder Diagnosis List

Service	Code Type	Code	Code Description
Mental Health Diagnosis	ICD10CM	F93.0	[f93.0] Separation Anxiety Disorder Of Childhood
Mental Health Diagnosis	ICD10CM	F93.8	[f93.8] Other Childhood Emotional Disorders
Mental Health Diagnosis	ICD10CM	F93.9	[f93.9] Childhood Emotional Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F94.0	[f94.0] Selective Mutism
Mental Health Diagnosis	ICD10CM	F94.1	[f94.1] Reactive Attachment Disorder Of Childhood
Mental Health Diagnosis	ICD10CM	F94.2	[f94.2] Disinhibited Attachment Disorder Of Childhood
Mental Health Diagnosis	ICD10CM	F94.8	[f94.8] Other Childhood Disorders Of Social Functioning
Mental Health Diagnosis	ICD10CM	F94.9	[f94.9] Childhood Disorder Of Social Functioning, Unspecified
Mental Health Diagnosis	ICD10CM	F95.0	[f95.0] Transient Tic Disorder
Mental Health Diagnosis	ICD10CM	F95.1	[f95.1] Chronic Motor Or Vocal Tic Disorder
Mental Health Diagnosis	ICD10CM	F95.2	[f95.2] Tourette's Disorder
Mental Health Diagnosis	ICD10CM	F95.8	[f95.8] Other Tic Disorders
Mental Health Diagnosis	ICD10CM	F95.9	[f95.9] Tic Disorder, Unspecified
Mental Health Diagnosis	ICD10CM	F98.0	[f98.0] Enuresis Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F98.1	[f98.1] Encopresis Not Due To A Substance Or Known Physiological Condition
Mental Health Diagnosis	ICD10CM	F98.21	[f98.21] Rumination Disorder Of Infancy
Mental Health Diagnosis	ICD10CM	F98.29	[f98.29] Other Feeding Disorders Of Infancy And Early Childhood
Mental Health Diagnosis	ICD10CM	F98.3	[f98.3] Pica Of Infancy And Childhood
Mental Health Diagnosis	ICD10CM	F98.4	[f98.4] Stereotyped Movement Disorders
Mental Health Diagnosis	ICD10CM	F98.5	[f98.5] Adult Onset Fluency Disorder
Mental Health Diagnosis	ICD10CM	F98.8	[f98.8] Other Specified Behavioral And Emotional Disorders With Onset Usually Occurring In Childhood And Adolescence
Mental Health Diagnosis	ICD10CM	F98.9	[f98.9] Unspecified Behavioral And Emotional Disorders With Onset Usually Occurring In Childhood And Adolescence
Mental Health Diagnosis	ICD10CM	F99	[f99] Mental Disorder, Not Otherwise Specified